Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF 96
IDENTIFICATION NUMBER

COMMANDED BY

LT C.C. REED, U.S.N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
SERVICE FORCE U.S. PACIFIC Fleet,
FOURTEENTH Naval District,

Commencing + 10 W 1 APRIL, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending + 10 W 30 APRIL, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____, 19 ____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H10W DATE WEDNESDAY (Day) 1 (Date) APRIL (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	1	10	SCT	3011	72	69	4	2000	Cu			
02	060	1	10	SCT	3009	72	69	4	2000	Cu			
03	060	1	10	SCT	3008	72	69	4	2000	Cu			
04	045	1	10	SCT	3004	72	68	4	1800	Cu			
05	045	1	10	SCT	3006	70	68	4	1800	Cu			
06	040	1	10	SCT	3008	70	67	4	1800	Cu			
07	040	1	10	SCT	3008	69	67	4	1800	Cu			
08	040	2	10	SCT	3008	75	68	4	1800	Cu			
09	040	2	10	SCT	3008	77	70	4	1800	Cu			
10	040	2	10	SCT	3008	80	71	4	1800	Cu			
11	040	2	10	SCT	3008	81	72	3	1800	Cu			
12	190	2	10	SCT	3006	81	73	4	1800	Cu			
13	180	3	10	SCT	3005	81	73	4	1800	ST			
14	200	2	10	OVC	3003	83	73	8	1800	ST			
15	200	2	10	OVC	3003	81	73	8	1800	ST			
16	200	2	10	OVC	3004	79	72	8	1800	ST			
17	200	2	10	OVC	3004	77	73	8	1800	ST			
18	200	2	10	OVC	3004	76	72	8	1800	ST			
19	200	2	10	OVC	3006	74	64	8	1800	ST			
20	170	1	2	RW	3006	73	65	9	1000	ST			
21	180	2	2	RW	3006	73	64	9	1000	ST			
22	180	2	5	OVC	3006	72	63	9	1400	ST			
23	170	1	10	OVC	3004	71	63	9	1400	ST			
24	000	1	10	OVC	3004	71	63	9	1700	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to berth Sierra 17 forward with standard mooring lines doubled at U.S. Naval submarine base, Pearl Harbor, Hawaii inboard in a nest of two ships. USS HITCHITI (ATF-102) moored outboard - material condition yoke (modified) set, ~~ship~~ receiving Jdl H electrical power, potable water and telephone service from the pier - ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.S. is Deputy CinC pac Flt.

Jdl. Hollis. CWO2, USN

04-08 moored as before. 0650 mustered the crew at quarters. Absentees: none.

Jdl. Hollis. CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 1 (Date) April (Month) 19 64

08-12 Moored as before 1020 made daily inspection of magazine conditions: normal

Lt Jr Grade USNR

12-16 Moored as before

Lt Jr Grade USNR

16-20 Moored as before 1800 Set material condition Yoke readied

Lt Jr Grade USNR

20-24 Moored as before

Lt Jr Grade USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10CW DATE Thursday (Day) 2 (Date) April (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	—	—	10	BKN	30.04	71	65	7	1800	Cu			
02	—	—	10	BKN	30.04	72	65	5	1800	Cu			
03	—	—	10	SCT	30.06	72	64	4	1800	Cu			
04	—	—	10	SCT	30.03	73	64	4	1800	Cu			
05	045	5	10	SCT	30.01	73	64	4	1800	Cu			
06	045	5	10	SCT	30.01	73	64	4	1800	Cu			
07	045	1	10	BKN	30.02	73	64	7	1800	Cu			
08	045	2	10	BKN	30.07	73	70	7	1500	Cu			
09	045	3	10	BKN	30.02	73	71	7	1500	Cu			
10	045	2	10	BKN	30.10	73	73	8	1800	Cu			
11	045	2	10	BKN	30.09	78	74	8	1800	Cu			
12	045	4	10	SCT	30.08	81	75	4	1800	Cu			
13	045	4	10	SCT	30.09	82	75	4	1800	Cu			
14	045	4	10	SCT	30.09	82	75	4	1800	Cu			
15	045	4	10	SCT	30.08	80	75	4	2000	Cu			
16	045	4	10	SCT	30.07	80	75	4	2000	Cu			
17	045	4	9	SCT	30.07	80	74	4	2000	Cu			
18	045	3	9	SCT	30.05	79	73	4	2000	Cu			
19	045	2	9	SCT	30.04	78	73	5	2000	Cu			
20	120	2	5	SCT	30.00	78	72	5	2000	Cu			
21	120	2	5	CLR	30.01	77	72	8	2000	ST			
22	100	2	5	CLR	30.01	77	71	8	2000	ST			
23	100	2	5	SCT	30.01	74	70	5	2000	ST			
24	040	4	5	C	30.03	73	70	8	2000	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to berth Seven Seventeen (17) US Naval Sub Marine Base, Pearl Harbor, Hawaii using standard ~~nylon~~ mooring lines doubled. Receiving fresh water, electric power, ~~steam~~ and telephone service from the pier. ~~The USS~~ Ships present include various units of the US Pacific Fleet and yard and district small craft. Material condition yoke modified as set. SOPA is ComCruDesPac Flt.

Wm James Ens USN

04-08 Moored as before. 0650 Mustered crew at quarters. Absentees: none.

Wm James Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) THURSDAY (Day) 2 (Date) APRIL (Month) 1964

0800-1200 Moored as before. 0945 Made daily inspection of magazines. Conditions: Normal.

C. P. McKenzie, Ens, USNR

1200-1600 Moored as before. 1515 USS Deliver (ARS 24) moored alongside to starboard

C. P. McKenzie, Ens, USNR

1600-2000 Moored as before. 1800 set condition zebra modified. 1814 Mustered the rescue and assistance party. Absentees: none

C. P. McKenzie, Ens, USNR

2000-2400 Moored as before

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stfp U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 3 (Date) APRIL (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	5	R	30.04	72	70	10	1800	ST			
02	055	4	7	BKN	30.03	72	70	8	1800	ST			
03	045	3	8	BKN	30.02	72	70	8	1800	ST			
04	045	1	10	BKN	30.00	72	70	6	1800	ST			
05	000	1	10	BKN	30.01	71	70	6	1800	ST			
06	—	—	10	BKN	30.02	73	70	6	1800	ST			
07	—	—	10	BKN	30.02	74	71	6	1800	ST			
08	225	4	10	BKN	30.05	75	71	6	1800	ST			
09	225	5	10	BKN	30.06	73	71	9	1500	ST			
10	215	6	10	BKN	30.08	74	71	9	1500	ST			
11	—	—	10	OVC	30.09	75	72	10	1500	ST			
12	320	1	8	R	30.05	80	75	10	1500	ST			
13	000	2	10	OVC	30.04	78	74	10	1500	ST			
14	340	2	10	BKN	30.03	81	75	9	1500	ST			
15	130	4	8	L	30.01	76	72	10	1500	ST			
16	130	1	8	OVC	30.00	75	72	10	1500	ST			
17	130	1	8	OVC	30.00	75	72	10	1500	ST			
18	130	1	8	OVC	30.00	74	71	10	1500	ST			
19	120	1	8	OVC	29.98	73	70	10	1500	ST			
20	040	2	8	BKN	30.03	78	73	6	1800	Cu			
21	045	1	8	BKN	30.04	75	71	6	1800	Cu			
22	040	1	8	BKN	30.04	73	70	5	2000	Cu			
23	040	1	8	BKN	30.04	73	70	5	2000	Cu			
24	050	2	7	BKN	30.03	72	69	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored port side to ~~it~~ berth Sierra Seventeen (S-17), US Naval Submarine Base, Pearl Harbor Hawaii, with standard mooring lines doubled. USS Deliver (AR 23) moored alongside to Starboard. Receiving fresh water, electrical, and telephone services from the pier. Radiation (MATERIAL) ~~Radiation~~ ~~yoke~~ (modified) is set. Ships present include various units of the US Pacific Fleet, District, and Yard craft Napa is Complete.

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0650 Mustered the crew at quarters. Absentees: None!

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Jr. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 3 (Date) APRIL (Month), 1964

0800 MOORED AS BEFORE 0923 MADE DAILY INSPECTION OF MAGAZINES AND CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: CONDITIONS NORMAL

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

J E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 4 (Date) APRIL (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	6	L	30.03	72	69	9	2000	ST			
02	045	2	6	L	30.04	72	69	9	2000	ST			
03	050	2	7	BKN	30.04	72	69	8	2000	ST			
04	340	3	7	BKN	30.03	72	70	8	1800	ST			
05	270	4	7	BKN	30.03	72	70	8	1800	cu			
06	—	—	10	SCT	30.04	70	69	4	2000	cu			
07	310	.5	10	SCT	30.05	70	69	4	2000	cu			
08	310	1	10	SCT	30.06	72	70	4	2000	ST			
09	090	3	10	SCT	30.07	77	73	5	2000	ST			
10	095	4	10	SCT	30.07	80	74	5	2000	ST			
11	095	4	10	BKN	30.06	78	73	7	2000	cu			
12	095	4	10	BKN	30.07	80	74	7	2000	cu			
13	090	4	10	BKN	30.05	83	74	7	2000	cu			
14	090	4	10	BKN	30.04	83	73	7	2000	cu			
15	090	4	10	BKN	30.03	85	71	7	2000	cu			
16	040	2	10	BKN	30.00	86	76	8	2000	cu			
17	060	2	10	SCT	30.00	86	76	5	2000	cu			
18	100	2	10	BKN	30.01	82	74	6	2000	cu			
19	100	2	8	SCT	30.04	77	71	4	2000	cu			
20	100	2	8	SCT	30.09	73	71	4	2000	cu			
21	100	2	8	SCT	30.11	72	71	4	2000	cu			
22	100	2	8	SCT	30.12	75	70	4	2000	cu			
23	100	2	8	SCT	30.11	75	70	4	2000	cu			
24	100	2	8	SCT	30.11	75	70	4	2000	cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO ~~THE~~ BERTH SIERRA SEVENTEEN U.S. Pac SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. U.S.S. DELIVER (ARS-23) MOORED ALONG SIDE TO STARBOARD. RECEIVING FRESH WATER, TELEPHONE SERVICE, AND ELECTRICIAL POWER FROM PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

LE Horton
LTJG, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS! ABSENTEES NONE

LE Horton
LTJG, USN

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: DS Nasen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 4 (Date) APRIL (Month) 1964

08-12 moored as before: 0940 made daily inspection of magazines. Conditions: Normal. 1025 mustered the duty sections at Quarters for Captains personnel Inspection. 1040 secured from Captains personnel Inspection.

J. D. Hallis. CWO2-USN

12-16 moored as before:

J. D. Hallis. CWO2- USN

16-20 moored as before: 1800 set material condition YOKE (modified). 1830 mustered and instructed the in-port duty Collision and damage control party. Absentees: None.

J. D. Hallis. CWO2-USN

20-24 moored as before:

J. D. Hallis. CWO2- USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SUNDAY (Day) 5 (Date) April (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	2	10	BKN	30.09	75	70	7	1800	Cu			
02	100	2	10	BKN	30.05	73	69	7	1800	Cu			
03	100	2	10	BKN	30.05	74	69	7	1800	Cu			
04	100	2	10	BKN	30.05	74	69	7	1800	Cu			
05	100	2	10	BKN	30.05	74	69	7	1800	Cu			
06	040	1	7	OVC	30.04	72	70	8	1800	Cu			
07	040	1	10	OVC	30.04	73	70	10	1800	Cu			
08	040	1	10	OVC	30.04	74	70	9	1800	Cu			
09	040	1	10	OVC	30.06	81	72	9	1800	Cu			
10	040	2	10	OVC	30.07	85	76	8	1800	Cu			
11	040	2	10	OVC	30.07	85	76	8	1800	Cu			
12	040	3	10	OVC	30.06	84	69	8	1800	Cu			
13	050	4	10	OVC	30.05	83	70	8	1800	Cu			
14	040	4	10	OVC	30.03	81	71	8	1800	Cu			
15	040	4	10	OVC	30.00	85	76	8	1800	Cu			
16	040	4	10	BKN	30.00	85	76	8	1800	Cu			
17	040	3	10	BKN	30.01	84	75	8	1800	Cu			
18	040	3	10	BKN	30.03	79	69	8	1800	Cu			
19	040	3	10	BKN	30.04	75	67	8	1800	Cu			
20	040	2	10	BKN	30.06	73	66	7	2500	Cu			
21	040	2	10	BKN	30.07	70	65	8	2500	Cu			
22	040	2	10	BKN	30.09	70	65	8	2500	Cu			
23	040	1	10	BKN	30.09	73	66	8	2500	Cu			
24	040	1	10	BKN	30.08	73	66	8	2500	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored port side to berth Sierra 17, 7th d. U.S. Navy Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled - and USS DELIVER (ARS-23) moored outboard to starboard. Material condition YOKE (modified) set, receiving Electrical power, potable water and telephone services from the pier. Ships present includes various units of the U.S. Pacific Fleet, District and small Craft. Sea pd is Cu C par Flt.

J. D. Hollis, CWO2, USN

04-08 moored as before: 0743 made daily inspection of magazines - Conditions: Normal. 0745 mustered the Crew on Stations. Absentees: None.

J. D. Hollis, CWO2-USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI AFF-96 Sunday (Day) 5 (Date) April (Month) 19 64

08-12 Moored as before ~~of magazine condition normal~~ made ~~daily inspection~~ Rs Rs

Lm Turner Enl USN

12-16 Moored as before.

Lm Turner Enl USN

16-20 Moored as before 1800 Set material condition Yoke modified

Lm Turner Enl USN

20-24 Moored as before

Lm Turner Enl USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

D S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Monday (Day) 6 (Date) April (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	~~8~~ 10	BK	3007	72	69	5	2000	Cu			
02	035	2	10	SCT	3005	74	70	3	2000	Cu			
03	045	3	10	SCT	3004	75	71	3	2000	Cu			
04	045	3	10	SCT	3004	75	71	3	2000	Cu			
05	045	3	10	SCT	3004	75	71	3	2000	Cu			
06	045	3	10	SCT	3007	75	71	3	2000	Cu			
07	045	3	10	SCT	3007	75	71	3	2000	Cu			
08	045	3	10	SCT	3007	75	71	3	2000	Cu			
09	000	10	10	SCT	3008	75	71	3	2000	Cu	80	150	.5
10	000	15	10	SCT	3008	75	71	3	2000	Cu	79	150	1
11	105	15	10	SCT	3004	76	72	4	2000	Cu	75	150	2
12	180	19	10	SCT	3004	76	72	4	2000	Cu	78	150	3
13	150	10	10	SCT	3004	76	72	4	2000	Cu	78	150	4
14	150	9	10	SCT	3005	76	72	4	2000	Cu	78	150	4
15	150	9	10	SCT	3006	78	73	4	2000	Cu	78	150	4
16	150	8	10	SCT	3007	78	73	4	2000	Cu	78	150	3
17	150	3	10	SCT	3008	77	73	4	2000	Cu	78	150	3
18	150	2	10	SCT	3009	77	73	4	2000	Cu	79	150	1
19	150	1	10	SCT	3010	77	73	4	2000	Cu	78	150	.5
20	150	1	10	SCT	3009	77	73	4	2000	Cu			
21	150	1	10	SCT	3009	77	73	4	2000	Cu			
22	150	1	10	SCT	3009	77	73	4	2000	Cu			
23	150	1	10	SCT	3008	76	72	4	2000	Cu			
24	150	1	10	SCT	3004	76	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20-13 6N		BY 43 Da
λ 157-48.8W		BY 43 Da
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 27

FUEL CONSUMED 0000-2400: 1518

REMARKS

00-04 Moored portside to berth Seiva Seventeen (17) using Standard ~~nylon~~ mooring lines doubled. ~~The~~ USS Delwey (AHS-23) is moored along side to starboard. Receiving fresh water, electrical power and telephone service from the pier. Ships present include various units of the US Pacific Fleet and ~~various~~ yard and district small craft. Material Condition Yoke modified is set. SOPA is ComCtbc 7th.

R M Turner Eus Gmk

04-08 Moored as before 0650 mustered crew at quarters absentees: none. 0716 Commenced making preparations for getting underway.

R M Turner Eus Gmk

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 6 (Date) APRIL (Month) 1964

08-12 Moored as before. Set the special sea and anchor detail 0815 Captain and Navigator are on the bridge. OOD has the Conn. Draft 16'3" aft 14'9" fwd. 0822 Underway from Seina Seventeen for West Loch. Steering various courses and speeds to buoy at West Loch. 0917 Moored NAD, Oahu ~~West Loch~~ Bentho W-4 0922 Commenced loading ammunition 40 rounds of AA Common 0935 Secured from loading ammunition. 0936 Set Special Sea and anchor detail. Captain and Navigator are on the bridge. OOD has the Conn. 0955 Underway from West Loch for sea, steering various courses at various speeds to clear Pearl Harbor channel to sea. 1025 passed sea buoys one 100 feet to starboard. Secured special sea and anchor detail. ~~1045 End~~ steering 146° at 9.5 Kts 1045 Entered International waters. 1046 C/S to 9 Kts 1051 C/C to 105° 1103 Commenced Z-10-CC exercise with USS Grasp 1103 Made daily inspection of magazine conditions normal.

Lt James Eric Ulrich

12-16 Underway As before. 1218 Completed Z-10CC with USS Grasp 1220 C/C 290° C/S to 12.3 Kts. 1300 C/C to 054° C/S to 9.5 Kts. 1305 Commenced Z-5 N. ~~Set~~ Stationed Anchor Detail. Commenced Maneuvering on Various Courses and Speeds While Approaching Anchorage. 1321 Let Go Port Anchor. Anchored in 15 Fathom of Water with 18 Fathoms of Chain, on the following Bearings Laronda 116°, Cupola, Royal Hawaiian Hotel 054°, Aloha Tower 346° 1325 Commenced Heaving in Port Anchor. 1328 Anchors ~~Aweigh~~ Aweigh 1329 C/S to 3.3 Kts C/C to 235°. 1345 C/S to 12.3 Kts 134[illegible] Entered International Waters 1349 C/C to 054° C/S to 9.7 Kts. Commenced Maneuvering Various Courses and Speed To Approach Anchorage. 1359 Entered Inland Waters. 1425 Missed Anchorage C/C to 140° C/S to 12.3 Kts. 14[illegible] C/S to 6.7 Kts. Sighted Small Sailboat with Two men and one woman aboard. in distress Bearing 260° from Royal Hawaiian Hotel 1.5 Mile. Notified US Coast Guard. Maneuvering to remain in vicinity. 1451 Determined Assistance Not Required. C/C to 235° C/S to 9.5 Kts. 1455 C/C to 009° C/S to 6.7 Kts. 1459 C/C to 050°. Commenced Maneuvering To Approach Anchorage. 1509 Let Go Port Anchor. Anchored in 15 Fathoms of Water with 18 Fathoms of Chain, with Aloha Tower Bearing 347° Laronda Bearing 057° Cupola Royal Hawaiian Bearing 092 1515 Heaving Around and up on Anchor. 1519 Anchors Aweigh 1520 C/S to 3.3 Kts. C/C to 225° 1525 C/S to 12.3 Kts. 1533 C/C to 054° Commenced Maneuvering To Approach Anchorage. 1557 Let Go Port Anchor. Anchored in 15 Fathoms of Water with 18 Fathom of Chain, on the following Bearings Aloha Tower 348° Laronda 054° Auditorium 115°

Leslie E. Hale
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) Monday (Day) 6 (Date) april (Month), 19 64

1620 Anchored as before. 1600 Anchors aweigh. Maneuvering ~~independently~~ on various courses at various speeds while conducting 2+4-c mnvr competitively. 1612 Commenced approach to anchorage. 1629 Anchored in 17 fathoms of water with 15 ~~chain~~ fathoms of chain out. Aloha Tower bearing 345, Radio tower bearing 005 Natatorium bearing 117 1632 Anchor aweigh. Underway independently. 1635 c/s to 67 RPM. 1636 c/c to 235° 1637 c/s to 9.5 kts. 1650 c/s to 35 kts. 1730 c/s to ~~25 kts~~ 9.5 kts. 1736 Secured to crew at general quarters. 1748 ~~c/s~~ Stopped all engines. 1750 Shifted steering control to after steering. 1751 c/s to 33 RPM to 175 6 Shifted steering control to the bridge. 1801 c/s to 67 RPM. 1802 c/c to 320°. 1819 c/s to 95 RPM. 1825 c/c to 333° 1829 Set the Special Sea and anchor detail. Commenced maneuvering on various courses at various speeds while standing into Pearl Harbor. 1838 Buoy #2 abeam to stbd. 1842 Buoy #4 abeam to Starboard. 1856 Moored Port side to in berth Alfa Two (A-2) 01 Naval Base, Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition Yoke modified is set. Receiving Potable water and telephone service from the pier. Ships present include various units of the US Pacific Fleet, District and Yard craft. LOPA is incomplete.

Captain and navigation on the bridge. COD Honolulu

C. P. McKenzie, Ens, USNR

2000-2400 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Jr Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Alnaka (AJF 96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 7 (Date) April (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	145	1	10	SCT	3003	75	69	4	1800	Cu			
02	140	1	10	SCT	3003	75	69	4	1800	Cu			
03	140	1	10	SCT	3003	74	68	4	2000	Cu			
04	140	1	10	SCT	3002	72	67	4	2000	Cu			
05	140	1	10	SCT	3003	72	67	4	2000	Cu			
06	140	1	10	SCT	3003	72	68	4	2000	Cu			
07	145	1	10	SCT	3005	72	68	3	2000	Cu			
08	320	3	10	SCT	3004	76	66	3	2000	Cu	78	150	.5
09	085	5	10	SCT	3007	76	66	3	2000	Cu	78	150	.5
10	085	7	10	SCT	3007	76	67	3	2000	Cu	78	150	1
11	085	7	10	SCT	3007	76	68	2	2000	Cu	78	150	2
12	085	7	10	SCT	3006	76	69	3	2000	Cu	78	150	2
13	085	7	10	SCT	3006	76	70	3	2000	Cu	78	150	2
14	085	7	10	SCT	3005	76	70	4	2000	Cu	78	150	1
15	085	5	10	SCT	3005	76	71	4	2000	Cu	78	150	1
16	085	5	10	SCT	3004	76	72	4	2000	Cu	78	150	.5
17	085	5	10	SCT	3003	76	71	4	2000	Cu			
18	040	3	10	SCT	3002	76	72	4	2000	Cu			
19	040	3	7	SCT	3001	76	72	4	2000	Cu			
20	040	1	5	SCT	3001	76	72	4	2000	Cu			
21	040	2	5	SCT	3000	75	71	4	2000	Cu			
22	040	2	5	SCT	3000	73	71	4	2000	Cu			
23	040	2	5	SCT	3001	72	70	4	2000	Cu			
24	040	2	5	SCT	3001	72	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20-50.3N		BY 03
λ 157-47.4W		BY 03
2000		
L		BY
λ		BY

Rain
Es

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
79

FUEL CONSUMED 0000-2400
1192

REMARKS

00-04 Moored port side to in berth Alfa - Two (A-2) U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific fleet, district and yard craft. Sopa is in effect.

C.B. McKenzie, Ens, USNR

04-08 Moored as before. 0650 mustered the crew on stations absentees: none. Commenced making preparations for getting underway. 0655 set the sectional sea and anchor detail. 0700 Completed all preparations for getting underway. 0719 underway for local operating areas in compliance with Operation Order 14-64. Captain & Navigator to the bridge. 000 Draft forward 14'3" aft 16'4". 0728 passed Buoy #6 abeam to port. 0739 secured the sectional sea and anchor detail. 0740 ds to 9.6 kts. 0742 c/c to 200°. 0757 c/c to 122° 075 c/s to 12.3 kts.

C.B. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Rosen, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE Tuesday (Day) 7 (Date) April (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Shakori AT EE-96 Tuesday (Day) 7 (Date) April (Month), 19 64

08-12 Underway as before 0825 made daily inspection of magazine condition normal 0843 C/C 156°; 0958 Exercised crew at General Drills. 1002 C/S to 9.7 Kts C/C to 130° 1007 C/C to 110°; 1018 Commenced Z-3-G Gunnery Exercise. Steering various courses and speeds while conducting exercise 1133 Secured from General drills and Z-3-G 31 rounds of VT Ammunition expended C/S to 13.3 Kts; 1137 C/C to 345° 1159 C/S to 6.7 Kts

Lee James Ens USNR

12-16 Underway as before: 1202 C/C to 330° 1214 C/S to 12.3 Kts 1221 C/C to 000°; 1230 C/C to 355°; 1232 C/C to 115° 1233 C/S to 12.3 1234 Exercised crew at General Drills, Maneuvering various courses and speeds while conducting drills. 1248 Commenced Z-21-G gunnery exercise 1313 Secured from Z-21-G Expended 34 rounds of AA Common. 1330 Commenced Z-27-G, 1402 Secured from Z-27-G 18 rounds AA Common expended. Secured from General Drills. 1404 C/C to 340° 1519 C/S 13.3 Kts 1510 Held ~~loss~~ LOSS of steering drills. 1535 Secured from ~~loss~~ LOSS of steering drills.

Lee James Ens USNR

16-20 Underway as before. 1608 C/C To 350° 1625 set special sea and anchor detail. Capt. & Navigator on bridge Executive officer in the conn. 1629 Commence steering various courses at various speeds while standing into Pearl Harbor. 1643 Passed buoy #2 abeam to stbd. 1636 buoy #4 abeam to stbd. 1641 buoy #6 abeam to stbd. 1654 Moored port side to in berth Afloat Two (A-2), U.S. Naval Station, Pearl Harbor, Hawaii, with standard mooring lines doubled receiving potable water, and steam services from the pier. Material condition yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, district and yard craft. Sopa is cinpacflt.

C.P. McKenzie, Ens, USNR

16-20 (CONT) MOORED AS BEFORE 1800 SET MATERIAL CONDITION YOKE MODIFIED.

F.E. Foster
LTJG USN

20-24 MOORED AS BEFORE

F.E. Foster
LTJG USN.

APPROVED: C.C. Reed LL. U. S. N. COMMANDING

EXAMINED: D.D. Mason, Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Wednesday (Day) 8 (Date) April (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	CLR	3001	73	71	3	2000	Cu			
02	045	4	10	CLR	3003	73	71	3	2000	Cu			
03	045	4	10	CLR	3003	73	71	4	2000	Cu			
04	045	5	10	CLR	3005	75	71	4	2000	Cu			
05	045	5	9	CLR	3007	75	71	4	2000	Cu			
06	045	5	9	CLR	3009	75	71	5	2000	Cu			
07	045	5	10	CLR	3010	75	71	5	2000	Cu			
08	045	5	10	CLR	3011	76	71	3	2000	Cu			
09	045	5	10	CLR	3009	76	71	3	2000	Cu			
10	060	5	10	CLR	3007	77	71	3	2000	Cu			
11	060	5	10	CLR	2999	77	70	3	2000	Cu			
12	060	5	10	CLR	2999	78	70	3	2000	Cu			
13	060	5	10	CLR	2997	78	70	3	2000	Cu			
14	060	5	10	CLR	2995	78	70	3	2000	Cu			
15	060	5	10	CLR	2993	78	70	3	2000	Cu			
16	080	4	10	CLR	2992	78	69	3	2000	Cu	79	080	2
17	065	22	10	CLR	2994	77	71	3	2000	Cu	79	060	4
18	055	32	10	CLR	2994	75	70	2	2000	Cu	79	060	4
19	060	18	10	CLR	2995	74	69	1	2000	Cu	79	060	4
20	080	20	10	CLR	3004	74	69	1	2000	Cu	79	070	3
21	070	20	10	CLR	3012	74	69	1	2000	Cu	79	070	2
22	070	18	10	CLR	3010	74	69	0	0	—	79	070	3
23	070	20	10	CLR	3010	74	69	0	0	—	79	070	4
24	070	20	10	CLR	3010	74	69	0	0	—	79	070	4

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
~~L~~ 21-00.5N		BY #3 RDM
λ 157-14W		BY #3 RDM

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 81.8

FUEL CONSUMED 0000-2400: 1484

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ALFA TWO, US NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Horton
LTJG USN

04-08 MOORED AS BEFORE 0736 MUSTERED CREW ON STATIONS: ABSENTEES: NONE 0746 SET SECTIONAL SEA DETAIL, SECTION TWO. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN DRAFT 13'7" FWD 16'6" AFT. 0757 COMMENCED MANEUVERING, VARIOUS COURSES AND SPEEDS TO CLEAR BERTH AND HEAD FAIR IN THE CHANNEL J E Horton LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 8 (Date) APRIL (Month), 1964

08-12 MANEUVERING AS BEFORE. 0802 UNDERWAY ENROUTE TO LOCAL OP-AREA IN ACCORDANCE WITH COMFLTPACFLT WEEKLY OP-ORDER 1H-64 MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0810 PASSED BUOY 7 ABEAM TO STBD. APPROX. 75 yds. 0824 PASSED BUOY 1 ABEAM TO STBD. APPROX. 75 YDS. 0824 SET COURSE 167° A/A 12.3 KTS. 0830 C/C TO 160°. 0836 C/C 105°. 0847 EXERCISED AT STEERING CASUALTY DRILL. SHIFTED STEERING CONTROL TO SECONDARY CONN. 0858 SECURED FROM STEERING DRILL, SHIFTED CONTROL TO THE BRIDGE. 0904 C/S 6.7 KTS.

H. E. Hatter
LTJG USN

08-12 (CONT) UNDERWAY AS BEFORE. 0909 C/C 027°. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS CONDUCTING PRECISION ANCHORING EXERCISES, SO. HONOLULU OP-AREA. 0925 ENTERED INLAND WATERS. 0928 ANCHORED TO THE PORT ANCHOR IN 26 FATHOMS OF WATER, ROCKY BOTTOM, CHAIN AT SHORT STAY. 0934 UNDERWAY, CAPTAIN & NAVIGATOR IN THE BRIDGE. 0945 ENTERED INTERNATIONAL WATERS. 1006 ENTERED INLAND WATERS. 1019 ANCHORED IN 15 FATHOMS OF WATER, PORT ANCHOR AT SHORT STAY - SAND BOTTOM. ANCHOR BEARINGS. KGM TOWER 349.5°, LAROUNDA 053°, NATATORIUM 116°, VEERED PORT ANCHOR TO 45 FATHOMS ON DECK. 1022 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL. 1030 SECURED THE ANCHOR DETAIL. 1145 SET THE ANCHOR DETAIL.

J. C. Hollis, CWO2-USN

12-16 ANCHORED AS BEFORE. 1201 COMMENCED MANEUVERING TO SET UNDERWAY - CAPTAIN & NAVIGATOR ON THE BRIDGE. 1205 UNDERWAY. 1206 C/C 138°, 1211 C/S 12.3 KTS. 1226 SECURED THE ANCHOR DETAIL. 1230 C/C 130°, C/S 9.0 KTS. 1231 ENTERED INTERNATIONAL WATERS. 1235 COMMENCED EXERCISE Z-14CC WITH USS TOMBIGBEE (AOG-11). 1353 COMPLETED EXERCISE Z-14-CC. 1354 C/C 330°, C/S 14.3 KTS. 1415 C/C 338°, 1446 SET THE SPECIAL SEA AND ANCHOR DETAIL, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1449 C/C 340°. 1453 C/C 338°. 1454 PASSED SEA BUOY #2 75 YDS TO STBD. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL 1504 PASSED BUOY 8 ABEAM APPROX. 50 YDS. COMMENCED APPROACH TO BERTH ALFA TWO (2). 1514 MOORED PORT SIDE TO BERTH ALFA TWO (2) US NAVAL STATION, PEARL HARBOR. STD. MOORING LINES SINGLED UP. 1515 THE CAPTAIN HAS THE CONN 1529 1533 UNDERWAY, CAPTAIN AND NAVIGATOR ON THE BRIDGE, UNDERWAY IN ACCORDANCE WITH COMSERVPAC MSG-CG 01182Z MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CLEARING BERTH. 1542 C/C 152°, C/S 9.5 KTS. 1549 PASSED BUOY 1 ABEAM TO STBD APPROX 75 YDS. 1550 SECURED THE SPECIAL SEA & ANCHOR DETAIL. 1555 ENTERED INTERNATIONAL WATERS.

J. C. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 8 (Date) APRIL (Month), 19 64

16-20 Underway as before. 1903 c/c to 112° 1912 c/c to 160° 1929 c/c to 100°. 1945 c/c to 090°.

C. P. McKenzie, Ens, USNR

20-24 UNDERWAY AS BEFORE. 2001 C/S 8.0 KTS. 2107 C/C 100°. 2220 C/C 137°. 2229 C/C 130°. 2240 SIGHTED HAWEA PT LIGHT BRG. 083°, DISTANCE 13.8 MILES. 2250 C/S 9.5 KTS. 2308 SIGHTED LAHINA LIGHT, BEARING 112°, DISTANCE 11 MILES. 2332 EXCHANGE SIGNALS WITH USS O'BANNON (DD450). 2342 C/C 125°.

Jack Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THURSDAY (Day) 9 (Date) APRIL (Month), 19 64

AT/PASSAGE ~~FROM~~ OP AREA, LANAI, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	18	10	CLR	3009	74	69	—	—	—	79	070	3
02	020	10	10	CLR	3005	74	69	—	—	—	79	070	3
03	100	10	10	CLR	2999	74	69	—	—	—	79	095	2
04	100	9	10	CLR	2997	74	68	—	—	—	79	100	2
05	130	5	10	CLR	2995	74	67	—	—	—	79	130	1
06	130	5	10	SCT	3000	75	68	4	2000	cu	79	100	1.5
07	130	5	10	SCT	3000	75	68	4	2000	cu	79	010	1.5
08	130	5	10	SCT	3000	75	68	4	2000	cu	79	010	1.5
09	130	5	10	SCT	3001	76	69	4	2000	cu	79	010	1
10	355	3	10	SCT	3001	76	69	4	2000	cu	79	010	1
11	355	2	10	SCT	3002	76	70	4	1800	cu	79	355	1
12	290	13	10	BKN	3013	76	70	6	2000	cu	79	020	1
13	290	13	10	BKN	3013	76	70	6	2000	cu	79	020	1
14	020	9	10	BKN	3007	76	71	5	2000	cu	79	020	1
15	020	7	10	SCT	2998	83	72	4	2000	cu	79	020	1
16	020	7	10	SCT	2994	85	73	4	2000	cu	79	020	1
17	050	4	10	BKN	2996	84	72	7	2000	cu	79	020	1
18	100	8	10	SCT	2994	80	71	5	2000	~~cu~~ ST	79	100	1 ps
19	100	7	8	SCT	2995	80	71	4	2000	~~cu~~ ST	79	100	1 ps
20	100	7	8	SCT	2996	80	71	4	2000	~~cu~~ ST	79	100	1 ps
21	100	7	8	SCT	2997	79	72	4	2000	ST	79	100	1
22	080	7	8	SCT	2999	78	72	4	2000	ST	79	100	1
23	080	9	8	SCT	3003	77	72	4	2000	ST	79	100	1
24	080	10	8	SCT	3005	76	73	4	2000	ST	79	100	1
													~~PS~~

POSITION	ZONE	TIME
0800 L	20-47.5N	BY 3
λ	156-42.4W	BY 3
1200 L	20-55N	BY 3
λ	156-45.6W	BY 3
2000 L	20-36N	BY 2
λ	156-31W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1200 (ZT) 9 APRIL (Date) 1964

TO 2000 (ZT) 9 APRIL (Date) 1964

SET 077

DRIFT .2KT

POSITION BETWEEN FIXES

MID. L 20-45.5N

MID. λ 156-38.3W

MILES STEAMED 0000-2400
145.2

FUEL CONSUMED 0000-2400
1200

REMARKS

0000 - 04 STEAMING IN COMPANY WITH USS O'BANNON (DD-450) AND USS COUCAL (ASR-8) OTC IN O'BANNON.* MATERIAL CONDITION YOKE SET, READINESS CONDITION III, DAMAGE CONTROL AND ENGINEERING CONDITIONS III, COURSE 125° SPEED ~~15~~ KTS. CAPTAIN IS ON THE BRIDGE, ~~NAVIGATOR ON CALL~~. STEERING VARIOUS COURSES & SPEEDS TO CONFORM TO OTC MANEUVERS. BASE COURSE 172°, BASE SPEED 10 Kts. STD DISTANCE 1000 YARDS. 0039 C/C Base 236°, 0240 C/C Base 056°.

*In accordance with COMSERVPAC 090118Z of April 1964. The RD Mason, Stjg, USNR USS O'Bannon is the guide in station one of a column formation.

04-08 UNDERWAY AS BEFORE. 0400 BASE COURSE 056° BASE SPEED 13.3 KTS. 0432 C/BC TO 355°, 0448 C/BC 165°, 0450 C/S TO 8.0 KTS. 0456 C/S TO 7.8 KTS. C/BC TO 170°. 0509 C/S TO 9.5 KTS. 0542 C/BC TO 345°. 0554 C/C TO 345°, 0604 C/BC TO 025°, 0610 C/S TO 5 KTS. C/C TO 000°. 0618 C/S TO 12.3 KTS, C/C TO 130°. 0625 C/C TO 355°, 0632 C/S TO 9.5 Kts. 0633 C/C TO 020°, C/S TO 12.3 KTS. 0635 C/S TO 3.3 KTS. 0705 C/C TO 000°, 0707 C/S TO 13.3 KTS. 0708 C/C TO 347°. 0713 C/C TO 004°, (Cont)

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: RD Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ Thursday (Day) 9 (Date) April (Month), 19 64

Ø4-Ø8 Cont Ø720 C/C to 270° Ø722 C/C to 300° Ø725 C/C to 325° Ø726 C/S to 6.7 Kts Ø728 C/S to 12.3 Kts. Ø731 C/C to 331° C/S to 13.3 Kts. Ø732 C/C to 172° C/S to 12.3 Kts. Ø743 C/C to 180° Ø745 C/C to 174° Mustered Crew on Station: Absentees: None. Ø746 C/C to 176° C/S to 13 Kts. Ø750 C/S to 12.3 Kts Ø752 C/S to 13 Kts Ø757 C/C to 176°

J E Hatter LTJG USN.

Ø8-12 Underway as before. Ø801 Continued steering various courses at various speeds while conducting ASW exercises, ~~Conforming~~ in Op-area Lahaina Roads, conforming to maneuvers signalled by USS O'Bannon (DD-450) Ø944 Made daily inspections of the magazines, Soundings: Normal. ~~Ø950 C/S to 10.5 Kts. Ø951 C/S to 14.3 Kts. Ø956 C/C to Ø075° 1120 C/S to Ø.Ø Kts~~ Commenced Laying ~~COMMENCED LAYING TO AWAITING COMEX PH~~ 1120 C/S to Ø.Ø Kts Commenced laying to await Comex phase II.

~~C.P. McKenzie, Ens, USMR~~

C.P. McKenzie, Ens, USMR.

12-16 Underway as before: Steering various courses & speeds while Conducting Fleet Exercises off Lahaina Roads Maui, Hawaii, with Capt & Nav in ~~C.~~ USS O'Bannon (DD-450) Captain and navigator are on the Bridge. 1332 Commenced phase II of Exercise. 1500 Commenced Weave pattern. 1516 Secured from weave pattern.

J.C. Hollis, CWO2 USN

16-20 Underway as before. 1601 C/C to 060° 1603 C/S to 6.7 Kts 1604 All Stop C/C to 000 1605 All back 1/3 1609 Torpedoe retriever is along side 1610 ~~Torpedoe~~ PCO Instructors came aboard, torpedoe retriever cast off. 1612 C/S to 6.7 Kts 1616 C/C to 315° 1635 C/C to 3.3 Kts 1643 C/C to 120° 1644 C/C to 112° 1711 All Stop 1813 Torpedoe retriever alongside to starboard. 1814 PCO instructors debarked to the Torpedoe retriever. Torpedoe retriever cast off. 1829 C/S to 9.5 Kts 1832 C/C to 160° 1833 C/S to 13.3 Kts 1835 C/C to 142° 1911 Darken Ship. 1939 C/C to 295° 1940 C/S to 3.3 Kts

Lyn Jones Ens USN

20-24 Underway as before 2000 Commenced phase 3 of ASW Operations. Commenced Steering various courses at various speeds while conducting exercises 2155 Commenced leaving on base course 000°. 2212 C/C to 270° 2227 Commenced leaving on base course 180°T. 2321 C/C to 270° 2326 C/C to Ø90. 2327 C/C to 000°. 2331 C/C Ø45°

C.P. McKenzie, Ens, USMR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Sltg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS USS ABNAKI (ATF-96) ZONE DESCRIPTION 7-10-W DATE FRIDAY (Day) 10 (Date) APRIL (Month), 1964

AT/PASSAGE ~~FROM~~ In OP area of Lahina MAUI TO Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	11	8	SCT	3006	76	73	4	2000	ST	78	090	1
02	090	13	8	SCT	3007	75	72	4	2000	ST	78	090	2
03	060	23	8	SCT	3007	75	72	4	2000	ST	78	065	3
04	060	23	8	SCT	3007	75	72	4	2000	ST	78	065	3
05	060	20	10	SCT	3009	73	68	1	1800	cu	78	060	3
06	075	10	10	SCT	3009	73	68	2	1800	cu	78	075	3
07	075	8	10	SCT	3009	73	68	2	1800	cu	78	075	3
08	075	15	10	SCT	3011	74	69	3	2000	cu	79	075	4
09	075	15	10	SCT	3011	74	69	4	2000	cu			
10	075	15	10	SCT	3010	74	69	4	2000	cu			
11	075	15	10	SCT	3008	74	69	4	2000	cu			
12	045	5	10	SCT	3007	73	68	4	2000	cu			
13	045	2	10	SCT	3007	73	68	4	2000	cu			
14	045	2	10	SCT	3007	73	68	4	2000	cu			
15	045	2	10	SCT	3000	80	76	4	2000	cu			
16	045	2	10	SCT	2999	90	76	2	2000	cu			
17	045	2	10	SCT	3000	90	76	2	2000	cu			
18	045	2	10	SCT	3000	88	76	2	2000	cu			
19	045	2	10	SCT	3002	80	71	4	2000	cu			
20	050	2	5	SCT	3002	76	70	4	2000	cu			
21	040	2	5	SCT	3001	76	69	4	2000	cu			
22	040	2	5	SCT	3003	75	68	4	2000	cu			
23	050	3	5	SCT	3004	75	67	4	2000	cu			
24	050	3	5	SCT	3003	74	68	4	2000	cu			

POSITION	ZONE	TIME
0800		
L 21-06.8N	BY	3
λ 157-31W	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 9 April (Date) 1964
TO 0800 (ZT) 10 April (Date) 1964
SET 270
DRIFT .5 Kt

POSITION BETWEEN FIXES

MID. L 20-51.4 N
MID. λ 157-00W

MILES STEAMED 0000-2400: 74

FUEL CONSUMED 0000-2400: 542

REMARKS

00-04 ~~under~~ DOH Steaming in Lahina Roads op area off Kaini Island Hawaii, with USS O'Bannon (DD450) as OTC, material condition yoke (modified) set. Harbor ship ~~bill~~ in effect, Readiness, Engineering and damage control conditions III set. Captain is on the Bridge. Course 060 - Speed 3.3 Kts. conducting 7 fleet exercises DOH in accordance with OTC and Comservpac MSG. 090118Z April 1964. 0008 C/C 240°, 0011 C/C 000°, 0015 Released from exercise services by OTC to proceed independantly and return to pearl Harbor, Hawaii. 0016 C/C 340°, C/S ~~9.5 Kts.~~ 8.0 Kts. 0022 C/C 335°, 0030 C/C 345°, 0126 DOH C/C 340°, 0209 C/S 9.0 Kts. 0219 sighted Hawea pt. Light, bearing 025° distance 8 mills. 0255 Radar reported back in commission. 0312 C/C 270°, 0340 C/S 8.0 Kts. 0342 C/C 265°, 0348 Ens. Turner has the conn. 0350 C/C 270°,

J.L. Hollis, CWO2-USN

04-08 Underway as before. 0520 C/C to 290°; 0525 C/C to 292

Ens. Turner Engineer

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Flyg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 10 (Date) April (Month) 1964

Ø8-12. Underway As Before. Ø823 Sighted Diamond Head Light Bearing 295° 27 Mile. Ø843 C/C To 287° Ø911 C/C To 280° Ø927 C/C To 273° 1Ø22 Made Daily Inspection of Magazines: Conditions Normal.* 1Ø36 297° 1Ø50 Rat All Main Engines in Propulsion Loop. Shifted Motor Control To The Bridge. 11Ø8 Set Special Sea And Anchor Detail. Captain And Navigator On The Bridge. OOD Has The Conn. Entered Inland Waters. Commenced Maneuvering On Various Courses And Speeds To Conform With Pearl Harbor Channel. 1118 Passed Buoy 2 Abeam To Stbd 1125 Passed Buoy 6 Abeam To Stbd. Commenced Maneuvering To Approach And Moor In Berth Alfa Two. 1134 Moored Port Side To In Berth Alpha Two U.S. Naval Station, Pearl Harbor, Hawaii. SOPA is CinC Pac Fit.
*Made Weekly Test of Magazine Sprinkler System - Test Satisfactory

J E Horton
LTJG USN

12-16 Moored as before.

C P McKenzie, Ens, USNR

16-2Ø Moored as before. 18ØØ set material condition yoke modified. 183Ø mustered ~~the~~ inport duty fire party; absentees: none.

C. P. McKenzie, Ens, USNR

2Ø-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Rosen, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI, ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 11 (Date) APRIL (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	4	10	SCT	3003	74	68	4	1800	Cu			
02	050	4	10	SCT	3003	74	68	4	1800	Cu			
03	050	4	10	SCT	3004	74	66	4	1800	Cu			
04	050	4	10	SCT	3004	74	69	4	1800	Cu			
05	050	4	10	SCT	3004	74	68	4	1800	Cu			
06	050	4	10	SCT	3000	74	69	4	1800	Cu			
07	050	4	10	SCT	3000	74	69	4	1800	Cu			
08	050	3	10	SCT	3000	74	69	4	1600	Cu			
09	050	2	10	SCT	3000	75	69	4	1600	Cu			
10	050	3	10	SCT	3000	75	70	4	1600	Cu			
11	050	3	10	SCT	3000	76	70	4	1600	Cu			
12	050	2	10	SCT	3000	76	70	4	1600	Cu			
13	050	4	10	SCT	3000	75	70	4	1600	Cu			
14	050	4	10	SCT	3000	75	70	4	1600	Cu			
15	040	4	10	SCT	3001	74	70	4	2000	Cu			
16	040	6	10	SCT	3001	74	69	4	2000	Cu			
17	040	5	10	SCT	2999	75	68	4	2000	Cu			
18	040	6	10	SCT	2996	76	68	4	2000	ST			
19	040	8	10	BKN	2994	76	68	9	2000	ST			
20	040	9	10	R	2994	76	68	10	2000	ST			
21	040	9	10	BKN	2994	72	67	8	2000	ST			
22	040	9	10	BKN	2994	70	66	5	2000	ST			
23	040	7	10	SCT	2994	69	66	4	2000	ST			
24	040	5	10	SCT	2994	69	66	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 3

FUEL CONSUMED 0000-2400: 150

REMARKS

0000-0700 Moored port side to in berth Alfa-Two with standard mooring lines doubled, U.S. Naval Station Pearl Harbor, Hawaii. Receiving potable water and ~~fresh water~~ telephone services from the pier. Condition of Material and Condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, District and Yard craft topo is Cryptoplt.

C. P. McKenzie, Ens, USNR

0744-0758 Moored or before. 0655 Made daily inspection of the magazines. Conditions: normal. 0730 Commenced making preparations for getting underway. 0745 Set the special sea and anchor detail. Mustered the crew on stations absentees: none. 0750 Completed all preparations for getting underway. Draft: forward 12'0" aft 17'2".

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: D S Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI ATF-96. SATURDAY (Day) 11 (Date) APRIL (Month), 1964

0800-1200 Moored on before. 0800 Underway for berth Foxtrot One US Naval Base, Pearl Harbor, Hawaii in compliance with USS Frontier Msg 082135Z Captain and Navigator on the bridge 0804 Maneuvering on various courses at various speeds while clearing the berth and mooring Foxtrot One 0839 Moored starboard side to USS Conserver (ARS-39) in a nest of four ships with standard mooring lines doubled. Conserver moored outboard USS Tawasa (DER-268) USS Deline (AO-23) Deline moored outboard of USS Taming (DER-288), Taming moored outboard of USS Frontier (AD-25). Frontier moored starboard side to Ex berth (F-1).

C. P. McKenzie, Ens, USNR

1200-1600 (CONT) MOORED AS BEFORE.

F E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

F E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

F E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

F E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 12 (Date) APRIL (Month), 19 64

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	5	SCT	2994	67	64	4	2000	Cu			
02	040	2	5	SCT	2994	68	64	4	2000	Cu			
03	040	1	5	SCT	2994	68	64	4	2000	Cu			
04	040	1	5	SCT	2994	68	62	4	2000	Cu			
05	040	1	5	SCT	2994	69	63	4	2000	Cu			
06	040	1	9	SCT	2994	71	65	4	2000	Cu			
07	040	1	10	SCT	2994	72	66	3	2000	Cu			
08	270	1	10	SCT	2995	80	73	3	2000	Cu			
09	050	1	10	SCT	2995	82	74	4	2000	Cu			
10	050	1	10	SCT	2995	82	74	4	2000	Cu			
11	050	3	10	SCT	2995	83	75	4	2000	Cu			
12	050	4	10	SCT	2994	80	70	4	2000	Cu			
13	060	4	10	SCT	2992	80	70	4	2000	Cu			
14	060	5	10	SCT	2990	79	70	4	2000	ST			
15	060	5	10	SCT	2990	78	69	4	2000	ST			
16	195	5	10	SCT	2990	78	70	3	2000	ST			
17	185	3	10	SCT	2990	77	69	3	2000	ST			
18	185	2	10	SCT	2990	76	68	3	2000	ST			
19	185	1	10	SCT	2990	75	68	3	2000	ST			
20	055	1	8	SCT	2990	75	72	3	2000	ST			
21	060	2	8	SCT	2992	75	69	4	2000	Cu			
22	060	2	8	SCT	2993	75	68	4	2000	Cu			
23	050	2	8	SCT	2993	75	68	4	2000	Cu			
24	040	2	8	SCT	2994	74	69	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to in Berth FOXTROT ONE, ~~Ford Island~~, Pearl Harbor Hawaii, and fwd of ~~USS DENVER (ARS-23), USS LANSING~~ SEN USS CONSERVER (ARS-39), USS DEXIVER (ARS-23), USS LANSING (DER-288), and USS FRONTIER (AD-25) in that order. Receiving fresh water, steam, electrical power, and telephone service from the pier. Material condition Yoke Modified set. Ships present enclosed various units of US Pacific Fleet, Yard, and district SEN Craft. SOPA is C.INC PAC FLT.

Leslie C Horton
LTJG USN

04-08 Moored as before. 0745 Mustered crew on Stations: absentees: None.

LE Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 12 (Date) APRIL (Month) 19 64

08-12 moored as before: 1126 made daily inspection of magazines. Conditions: Normal.

J. L. Hollis. CWO2 USN

12-16 moored as before:

J. L. Hollis, CWO2-USN

16-20 moored as before: 1800 set material condition yoke (modified).

J. L. Hollis, CWO2, USN

20-24 moored as before:

J. L. Hollis. CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Nason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE MONDAY (Day) 13 (Date) APRIL (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	8	SCT	2995	73	68	4	2000	Cu			
02	040	2	8	SCT	2996	73	68	4	2000	Cu			
03	040	2	8	SCT	2996	72	67	4	2000	Cu			
04	040	2	8	SCT	2998	74	68	4	2000	Cu			
05	040	1	8	SCT	2998	72	68	4	2000	Cu			
06	050	1	10	BKN	2996	71	67	5	2000	Cu			
07	050	2	10	BKN	2994	74	70	6	2000	Cu			
08	050	3	10	BKN	2993	77	73	6	2000	Cu			
09	050	3	10	BKN	2993	84	72	6	2000	Cu			
10	050	3	10	BKN	2993	84	72	6	2000	Cu			
11	050	3	10	BKN	2993	84	72	6	2000	Cu			
12	050	2	10	BKN	2993	84	72	6	2000	Cu			
13	040	4	10	BKN	2994	83	72	7	2000	Cu			
14	090	3	10	BKN	2995	86	73	9	2000	Cu			
15	100	2	10	OVC	2993	84	73	10	1800	Cu			
16	070	2	8	OVC	2992	80	71	10	1800	Cu			
17	090	3	8	OVC	2991	80	72	10	1800	Cu			
18	090	3	8	OVC	2990	75	70	10	1800	Cu			
19	090	3	8	OVC	2990	75	70	10	1800	Cu			
20	090	3	8	OVC	2990	75	70	10	1800	Cu			
21	090	3	8	OVC	2990	75	70	10	1800	Cu			
22	090	3	8	OVC	2990	75	70	10	1800	Cu			
23	090	3	8	OVC	2990	75	70	10	1800	Cu			
24	090	3	8	OVC	2987	75	70	10	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored starboard side to U.S.S. Conserver (ARS-39) in a nest of four ships with standard mooring lines doubled. Conserver outboard of USS Deliver (ARS-23) - Deliver outboard of USS Sansing (DER-288) Sansing outboard of USS Frontier (AD-25) Frontier moored starboard to ~~forefoot~~ one (1) U.S. Naval Base, Ford Island, Pearl Hawaii, Receiving Electrical power, Steam, potable water and telephone services from the Frontier - material condition yoke (modified) set. ships present include various units of the U.S. Pacific Flet, district and small craft. SopA is CinCPacFlt.

J.C. Hollis, CWO2 - USN

04-08 moored as before: 0745 mustered the crew at Quarters. Absentees: none.

J.C. Hollis, CWO2 - USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: P S Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 13 (Date) April (Month) 19 64

08-12 Moored as before. 0932 made daily inspection of magazines conditions normal.

L. M. Turner Fire Ush

12-16 Moored as before.

Lm Turner Fire Ush

16-20 Moored as before 1800 Set material condition Yoke modified.

Lm Turner Fire Ush

20-24 Moored as before

Lm Turner Fire Ush

APPROVED:

C C Beel Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Jr Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

16 U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Tuesday (Day) 14 (Date) April (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	3	8	Cl	2986	75	74	10	1800	Cu			
02	090	3	8	Cl	2984	75	74	10	1800	Cu			
03	090	3	8	Cl	2983	75	74	10	1800	Cu			
04	090	3	5	BKN	2982	74	71	7	1800	Cu			
05	090	2	5	BKN	2981	73	69	6	1800	Cu			
06	090	2	10	BKN	2981	72	69	6	1800	Cu			
07	090	3	10	BKN	2982	74	69	6	1500	Cu			
08	090	2	10	BKN	2986	75	70	6	1800	Cu			
09	090	1	10	BKN	2986	80	73	6	1800	Cu			
10	090	1	10	BKN	2987	85	76	5	1800	Cu			
11	340	1	10	BKN	2985	84	75	5	1800	Cu			
12	340	3	10	BKN	2984	84	74	5	1800	Cu			
13	340	3	10	BKN	2984	84	74	5	1800	Cu			
14	345	3	10	BKN	3001	84	72	5	1800	Cu			
15	345	3	10	BKN	3001	80	70	5	1800	Cu			
16	340	3	10	CL	3001	79	70	9	1500	ST			
17	340	2	10	CL	3001	78	70	9	1500	ST			
18	340	2	8	BKN	3000	78	70	8	1500	ST			
19	340	2	8	BKN	3000	77	70	6	1500	ST			
20	355	3	8	BKN	3000	76	69	6	1500	ST			
21	355	2	8	BKN	2998	76	69	6	1500	ST			
22	000	2	8	BKN	2998	76	69	6	1800	Cu			
23	000	2	8	BKN	2997	75	69	6	1800	Cu			
24	000	3	8	BKN	2997	75	69	6	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Conserver (ARS-39) in a nest of four ships with standard mooring lines doubled. Conserver (ARS-39) moored outboard of USS Deliver (ARS-23) which is moored outboard of USS Lansing (DER-388) which is moored outboard of USS Frontier (AD-25) which is moored starboard side to berth Foxtrot one (1) US Naval Base, Ford Island Pearl Harbor Hawaii. Receiving electrical power, steam, fresh water, and telephone services from the Frontier (AD25). Material Condition yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, District and small craft SOPA is CinCPac Flt.

Alex Jones Engineman

04-08 Moored as before. 0730 mustered crew at at quarters. Absentees none

Alex Jones Engineman

APPROVED:
C C Reed Lt. U. S. N. COMMANDING

EXAMINED:
D D Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 Tuesday (Day) 14 (Date) April (Month), 19 64

~~08-12~~ ~~04-08~~ Moored as before. 1041 Made daily inspection of magazines. Conditions: Normal.

C. P. McKenzie, Ens, USNR

~~12-16~~ ~~08-12~~ Moored as before.

C. P. McKenzie, Ens, USNR

16-20 Moored as before. 1615 Mustered ~~the~~ duty ~~inport~~ fire party. Absentees. none. 1800 Set Condition ~~yoke~~ modified.

C. P. McKenzie, Ens USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: P S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 W DATE WEDNESDAY (Day) 15th (Date) APRIL (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	000	3	8	BKN	2994	74	67	6	1800	Cu			
02	000	3	8	BKN	2988	73	65	6	1500	Cu			
03	000	4	8	BKN	2984	71	64	6	1500	Cu			
04	000	1	8	BKN	2984	71	64	5	1500	Cu			
05	—	—	8	BKN	2984	70	65	5	1500	Cu			
06	—	—	8	BKN	2984	70	66	5	1500	Cu			
07	—	—	10	SCT	2984	70	66	4	1500	Cu			
08	—	—	10	SCT	2987	79	74	3	2000	Cu			
09	—	—	10	BKN	2988	80	74	6	2000	Cu			
10	—	—	10	SCT	2987	81	73	4	2000	Cu			
11	040	2	10	SCT	2986	84	74	3	2000	Cu			
12	040	1	10	SCT	2985	92	78	3	2000	Cu			
13	040	1	10	SCT	2985	92	78	3	2000	Cu			
14	040	1	10	SCT	2984	92	79	3	2000	Cu			
15	040	1	10	SCT	2983	89	76	3	2000	Cu			
16	040	1	10	BKN	2983	81	71	6	2000	Cu			
17	040	1	10	BKN	2982	89	70	8	2000	Cu			
18	—	—	8	OVC	2982	83	75	10	2000	Cu			
19	—	—	8	OVC	2984	81	67	10	2000	Cu			
20	—	—	8	BKN	2984	80	70	8	2000	Cu			
21	050	1	8	BKN	2985	79	70	6	2000	Cu			
22	050	1	8	BKN	2986	75	71	5	2000	Cu			
23	050	1	8	SCT	2987	75	71	4	2000	Cu			
24	050	2	8	SCT	2989	75	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Conserver (ARS 39) in a nest of four ships with standard mooring lines doubled. USS Conserver (ARS 39) Moored outboard of USS Deliver (ARS 23). USS Deliver (ARS 23) moored outboard of USS Lansing (DER 388). USS Lansing (DER 388) moored outboard of USS Frontier (AD 25). USS Frontier (AD 25) is moored starboard side to in berth Fortal One (F-1), US Naval base, Ford Island, Pearl Harbor, Hawaii. Condition Yoke modified is set receiving electrical, steam, fresh water, and telephone service from ~~the pier~~ USS Frontier (AD 25). Ships present include various units of the US Pacific Fleet Destroyer and Yard Craft. Ships is Overhaul.

C. P. McKenzie, Ens, USNR.

04-08 Moored as before. 0725 ~~Hoo~~ Mustered ~~the~~ crew at quarters. ~~Absentees~~: None.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stgs U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Atnaki ATF-96 Wednesday (Day) 15 (Date) April (Month) 19 64

0800-1200 Moored as before. 0950 Made daily inspection of magazines: Conditions Normal.

F E Horton
LTJG USN

1200-1600 Moored as before.

F E Horton
LTJG USN

1600-2000 Moored as before. 1800 Set modified material Condition Yoke.

F E Horton
LTJG USN

2000-2400 Moored as before. 2230 In accordance with BuPers Order 0224008 (2) Ens. JERRY A. HALL, USNR 665151/1105 Reported on board for duty as diving and Supply officer.

F E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Jr Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURS (Day) 16 (Date) APRIL (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	2	8	BKN	2988	75	71	5	2000	ST			
02	040	2	8	BKN	2987	74	71	5	2000	ST			
03	040	2	8	BKN	2986	74	70	5	2000	ST			
04	040	2	8	BKN	2985	73	69	5	2000	ST			
05	040	2	10	BKN	2985	73	69	5	2000	ST			
06	040	2	10	BKN	2985	73	69	6	2000	ST			
07	040	2	10	BKN	2988	73	69	6	1800	ST			
08	040	2	10	BKN	2992	74	70	6	1800	Cu			
09	040	2	10	BKN	2992	80	72	6	1800	Cu			
10	040	2	10	BKN	2992	84	75	6	1800	Cu			
11	040	2	10	BKN	2992	88	77	6	1800	Cu			
12	040	2	10	BKN	2992	89	77	6	1800	Cu			
13	040	2	10	BKN	2990	91	77	8	1800	Cu			
14	040	2	10	BKN	2989	90	77	8	1800	Cu			
15	040	2	10	BKN	2988	87	77	8	1800	Cu			
16	060	2	10	BKN	2987	84	76	8	1800	Cu			
17	050	1	10	OVC	2985	83	76	9	1800	Cu			
18	050	1	10	OVC	2986	79	73	10	1800	Cu			
19	040	2	10	OVC	2988	78	72	10	1800	Cu			
20	040	1	10	OVC	2988	78	72	10	1800	Cu			
21	040	2	10	BKN	3001	76	68	8	1800	Cu			
22	040	2	10	BKN	3001	76	68	7	1800	Cu			
23	040	2	10	BKN	3001	76	68	7	1800	Cu			
24	040	2	10	BKN	3001	76	68	7	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS CONSERVER (ARS-39) in a nest of ~~four~~ five Ships in berth FOXTROT ONE US Naval Station, Ford Island, Pearl Harbor, Hawaii. USS CONSERVER moored outboard of USS DELIVER (ARS-23), moored outboard of USS LANSING (DER 388) moored outboard of USS FRONTIER (AD-25), moored Starboard side to in Berth FOXTROT ONE. Modified Material Condition YOICE set. Ships present include various units of US Pacific Fleet, Yard, and district craft. SOPA is CINCPACFLT Receiving Steam, Electrical power, Fresh water and telephone service from the pier. SEH

J E Horton
LTJG USN

04-08 Moored as before. 0725 Mustered crew at quarters. Absentees None.

J E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Jr. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 16 (Date) APRIL (Month) 19 64

08-12 moored as before: 1010 made daily inspection of magazines, Conditions: normal.

J. L. Hollis. CWO 2-USN

12-16 moored as before:

J. L. Hollis. CWO 2-USN

16-20 moored as before: 1800 set material Condition yoke (modified) - 1830 mustered the inport damage control/collision party - Absentees: None.

J. L. Hollis. CWO 2-USN

20-24 moored as before:

J. L. Hollis, CWO 2- USN

APPROVED: C C Brent Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 17 (Date) APRIL (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	BKN	2992	75	70	6	1800	Cu			
02	040	3	10	BKN	2992	75	70	6	1800	Cu			
03	040	3	10	BKN	2990	74	69	6	1800	Cu			
04	040	1	10	BKN	2990	72	68	√	1800	Cu			
05	040	1	10	BKN	2990	72	68	√	1800	Cu			
06	040	2	10	BKN	2991	73	69	√	1800	Cu			
07	043	2	10	BKN	2991	74	69	√	1800	Cu			
08	040	1	10	BKN	2991	78	72	√	2000	Cu			
09	—	—	10	BKN	2991	78	72	8	1800	Cu			
10	—	—	10	BKN	2991	78	72	9	1800	Cu			
11	—	—	10	BKN	2990	78	72	9	1800	Cu			
12	040	√	10	BKN	2988	80	72	9	1800	Cu			
13	040	6	10	BKN	2987	82	71	8	1800	Cu			
14	040	6	10	BKN	2987	82	71	8	1800	Cu			
15	040	5	10	BKN	2987	81	71	8	1800	Cu			
16	040	5	10	BKN	2988	81	71	8	1800	Cu			
17	040	5	10	BKN	2989	80	71	7	1800	Cu			
18	040	5	10	BKN	2989	79	71	7	1800	Cu			
19	040	5	10	BKN	2990	78	71	7	1800	Cu			
20	045	4	10	BKN	2990	77	71	6	1800	Cu			
21	040	4	10	BKN	2991	77	70	6	1800	Cu			
22	040	4	8	BKN	2992	76	70	5	1800	Cu			
23	040	4	8	BKN	2991	75	69	5	1800	Cu			
24	040	4	8	BKN	2991	75	69	5	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored starboard side to U.S.S. Conserver (ARS-39) with standard mooring lines doubled, in a nest of five (5) ships. Conserver moored starboard side to U.S.S. Deliver (ARS-23), Deliver moored starboard side to USS Lansing (DER-388), Lansing moored starbard side to USS Frontier (AD-25) Frontier moored starboard side to Footnet I U.S. Naval Air Station Ford Island, Pearl Harbor, Hawaii - Receiving Electrical Power, Steam, potable water and telephone service from the U.S.S. Frontier. material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet District and small craft. S.O.P.A. is Cin C Pac Flt.

J.L. Hollis. CWO 2 USN

04-08 moored as before. 0725 mustered the crew at Quarters: absentees: None.

J.L. Hollis CWO 2 USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.S. Mason, Stgy U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday (Day) 17 (Date) April (Month), 19 64

08-12 Moored as before. 1000 Made daily inspection of magazine conditions normal. Made weekly test of magazine Sprinkler; test satisfactory.
Lm Turner Ens USNR

12-16 Moored as before
Lm Turner Ens USNR

16-20 Moored as before 1800 Set material condition yoke modified.
Lm Turner Ens USNR

20-24 Moored as before.
Lm Turner Ens USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE Saturday (Day) 18 (Date) April (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	8	BKN	2991	75	69	5	2000	Cu			
02	040	4	8	BKN	2991	74	68	5	2000	Cu			
03	040	4	8	BKN	2991	74	68	5	2000	Cu			
04	040	4	8	BKN	2984	75	69	5	2000	Cu			
05	040	4	8	BKN	2984	75	69	5	2000	Cu			
06	040	4	10	BKN	2984	75	69	7	2000	Cu			
07	040	4	10	BKN	2984	75	69	8	2000	Cu			
08	040	4	10	BKN	2984	75	69	6	2000	Cu			
09	040	4	10	BKN	2985	75	69	6	2000	Cu			
10	040	4	10	BKN	2986	77	70	6	2000	Cu			
11	040	4	10	BKN	2987	77	71	6	2000	Cu			
12	040	4	10	BKN	2988	79	71	6	2000	Cu			
13	040	4	10	BKN	2989	80	71	6	2000	Cu			
14	350	4	10	BKN	2986	79	71	6	2000	Cu			
15	350	8	10	BKN	2986	77	71	9	2000	Cu			
16	350	6	10	BKN	2986	76	70	9	2000	Cu			
17	350	6	10	OVC	2986	75	70	10	2000	Cu			
18	350	6	10	OVC	2986	75	70	10	2000	Cu			
19	350	6	8	OVC	2986	75	69	10	2000	Cu			
20	320	6	8	OVC	2986	75	69	10	2000	Cu			
21	320	4	8	OVC	2986	75	69	10	2000	Cu			
22	320	4	8	OVC	2987	73	68	10	2000	Cu			
23	320	3	8	OVC	2987	73	68	10	2000	Cu			
24	320	2	8	OVC	2987	69	68	10	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Conserver (ARS-39) using standard ~~nylon~~ mooring lines doubled, in a nest of five (5) ships. Conserver moored starboard side to USS Deliver (ARS-23), Deliver moored starboard side to USS Lansing (~~DD~~-288), Lansing moored starboard side to USS Frontier (AD-25), Frontier moored starboard side to Pontral one (1) Ford Island Pearl Harbor Hawaii. Receiving Electrical power, steam, potable water, and telephone system service from the pier USS Frontier. Material condition Yoke modified is set. Ships present include various units of the US Pacific Fleet, District and yard small craft. SOPA is CinC Pac Flt.

L M Turner Ens USN

04-08 Moored as before 0730 mustered crew on station Abentees none.

L M Turner Ens USN

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 18 (Date) April (Month) 19 64

08-12 Moored as before. 0801 Mr Taylor, pilot, came aboard. Set special sea detail. Captain and pilot on the bridge. Mr Taylor has the conn, we are dead plant. 0825 YTM 195 and 142 are along side to port 0831 Underway from nest of five ships at Foxtrot one for Foxtrot five. 0852 moored at Foxtrot five starboard side to. 0855 Mr Taylor departed the ship. YTM 142 and 195 clear the portside. 0900 Secure special sea detail. 1005 made daily inspection of magazine condition normal. 1128 YTM 142 & 195 are alongside to port Mr Taylor pilot, is aboard. Set special sea detail. 1140 Underway from Foxtrot five Mr Taylor has the Conn Captain is on the bridge. 1158 Moored starboard side to USS Kershaw (DD 498) using standard mooring lines doubled. Kershaw moored starboard side to USS Phillip (DD-499); Phillip moored starboard side to USS Frontier (AD 25) Frontier moored starboard side to South Foxtrot one (1), Ford Island US Naval Base Pearl Harbor Hawaii. Receiving steam, electricity, fresh water and telephone service from USS Frontier.

Lt. Jr. Grade Engr

12-16 Moored as before

Lt. Jr. Grade Engr

16-20 Moored as before 1800 Set condition yoke modified.

C. P. McKenzie, Ens, USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: CC Read Lt. U. S. N. COMMANDING

EXAMINED: DS Mason, Stjg U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION _____ DATE Sunday (Day) 19 (Date) April (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	320	2	8	BKN	2987	69	68	5	2000	Cu			
02	325	2	8	BKN	2987	70	68	5	2000	Cu			
03	325	2	8	BKN	2987	70	68	5	2000	Cu			
04	350	2	8	SCT	2986	70	68	4	2000	Cu			
05	350	2	8	SCT	2986	71	68	4	2000	Cu			
06	350	2	8	SCT	2986	71	68	4	2000	Cu			
07	350	2	10	SCT	2986	73	69	4	2000	Cu			
08	350	1	10	BKN	2986	75	70	6	2000	Cu			
09	350	1	10	BKN	2986	75	70	6	2000	Cu			
10	350	1	10	BKN	2987	75	70	6	2000	Cu			
11	350	2	10	BKN	2986	77	70	6	2000	Cu			
12	350	4	10	BKN	2985	81	72	6	2000	Cu			
13	350	4	10	BKN	2987	82	72	6	2000	Cu			
14	350	6	10	BKN	2986	79	71	8	2000	Cu			
15	350	5	10	BKN	2988	78	72	9	2000	Cu			
16	350	3	10	BKN	2990	77	71	9	1800	Cu			
17	350	3	10	BKN	2992	77	71	9	1800	Cu			
18	340	3	10	BKN	2992	77	71	9	1800	Cu			
19	340	3	8	OVC	2990	75	71	9	1800	Cu			
20	340	3	8	OVC	2989	74	71	9	1800	Cu			
21	340	3	5	OVC	2990	73	70	9	1800	Cu			
22	340	3	5	OVC	2992	72	70	9	1800	Cu			
23	340	3	5	OVC	2994	72	70	9	1800	Cu			
24	340	3	5	OVC	2994	72	70	9	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 6

REMARKS

00-04 Moored starboard side to USS Renshaw (DD 499) using standard mooring lines doubled. Renshaw moored starboard side to USS Philip (DD-498). Philip moored starboard side to USS Frontier (AD 25) Frontier moored starboard side to in berth Foxtrot One (F-1) Ford Island, Pearl Harbor Hawaii. Receiving steam, electrical water, and telephone services from the Frontier. Material Condition modified yoke is set. Ships present include various units of the U.S. Pacific Fleet, District, and yard craft. SOPA is Cenpac Det

C. P. McKenzie, En, USNR

04-08 Moored as before. 0745 Mustered the crew on stations absentees—none.

C. P. McKenzie, En, USNR

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday ~~Monday~~ (Day) 19 (Date) April (Month) 19 64 3EH

0800-1200 Moored as before. 0920 Made daily inspection of Magazines. Conditions Normal.

J E Hunter
LTJG USN

1200-1600 Moored as before.

J E Hunter
LTJG USN

1600-2000 Moored as before. 1800 Set Material Condition YOKE Modified

J E Hunter
LTJG USN

2000-2400 Moored as before.

J E Hunter
LTJG USN

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: D D Moon, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Monday 20 April, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	340	2	5	OVC	2994	72	70	9	1800	Cu			
02	340	2	5	OVC	2995	71	68	9	1800	Cu			
03	340	2	5	OVC	2995	71	68	9	1800	Cu			
04	340	2	5	OVC	2995	71	68	9	1800	Cu			
05	340	2	5	BKN	2989	74	70	8	1800	Cu			
06	345	2	8	BKN	2990	75	71	8	1800	Cu			
07	345	2	10	BKN	2990	75	70	8	1800	Cu			
08	345	2	10	BKN	2994	75	70	8	1800	Cu			
09	345	1	10	BKN	2994	75	70	8	1800	Cu			
10	345	1	10	BKN	2994	75	70	8	1800	ST			
11	345	1	10	BKN	2994	75	70	8	1800	ST			
12	345	1	10	BKN	2993	83	75	8	1800	ST			
13	030	2	10	BKN	2991	84	74	8	1800	ST			
14	030	2	10	BKN	2990	88	76	8	1800	ST			
15	035	3	10	BKN	2988	85	76	8	1800	ST			
16	035	3	10	BKN	2988	85	76	8	2000	ST			
17	035	3	10	BKN	2988	85	76	8	2000	ST			
18	035	2	10	BKN	2989	89	77	8	2000	ST			
19	035	2	8	BKN	2989	89	77	8	2000	ST			
20	035	2	5	BKN	3000	86	76	8	2000	ST			
21	035	2	3	R	3000	84	72	10	2000	ST			
22	035	2	3	R	3000	82	70	10	2000	ST			
23	035	2	3	R	3000	80	70	10	2000	ST			
24	035	1	5	BKN	2994	75	73	8	2000	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 Moored starboard side to outboard of USS RENSHAW (DD 498) in a Nest of ~~three~~ four ships with Renshaw (DD 498) moored outboard of USS PHILIP (DD 499), moored outboard of USS FRONTIER (AD-25) moored in Berth FOXTROT ONE, US Naval Station, Ford Island, Pearl Harbor, Hawaii. Receiving steam, electrical power, fresh water, and telephone service from the USS FRONTIER (AD-25) Material Condition YOKE Modified set. Ships present include Various Units of US Pacific fleet, yard, and District Craft. SOPA 15: CINCPACFLT. JE11

J E Horton
LTJG USN.

0400-0800 Moored as before. 0725 Mustered crew at Quarters: Absentees: None.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 20 (Date) APRIL (Month) 1964

0B-12 moored as before. 0945 made daily inspection of magazines. Condition: normal. ~~1025 BROUGHT~~ K. 5417824 SMSN transferred TAD to USS Frontier (AD-25) for ~~approximately two (2) weeks medical care. Dg. 1. Indolent ulcers and impetiginous lesions of Rt. foot and left knee with Crusts drainage - medical officer (USS Frontier (AD-25) diagnosis.~~

J.D. Hollis. CWO2 USN

12-16 moored as before:

J.D. Hollis, CWO2- USN

16-20 moored as before: 1800 set material condition yoke (modified) 1830 mustered the duty collision and damage control party. absentees: none.

J.D. Hollis. CWO2- USN

20-24 moored as before:

J.D. Hollis, CWO2-USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: P S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY (Day) 21 (Date) April (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	—	—	10	SCT	2992	73	69	4	2000	Cu			
02	—	—	10	SCT	2992	73	69	4	2000	Cu			
03	—	—	10	SCT	2991	72	69	4	2000	Cu			
04	—	—	10	BKN	2993	71	69	8	2000	Cu			
05	—	—	8	BKN	2995	71	69	8	2000	Cu			
06	—	—	8	BKN	2995	71	69	8	2000	Cu			
07	—	—	10	BKN	2995	71	69	8	2000	Cu			
08	—	—	10	BKN	2995	71	69	8	2000	Cu			
09	—	—	10	BKN	2995	72	69	8	2000	Cu			
10	—	—	10	BKN	2995	73	69	8	2000	Cu			
11	—	+	10	BKN	2995	74	69	7	2000	Cu			
12	—	—	10	BKN	2995	75	70	7	2000	Cu			
13	—	—	10	BKN	2995	76	71	7	2000	Cu			
14	—	—	10	BKN	2995	78	71	7	2000	Cu			
15	+	—	10	BKN	2995	78	72	8	2000	Cu			
16	—	—	10	BKN	2996	79	72	8	2000	Cu			
17	—	—	10	BKN	2996	78	72	8	2000	Cu			
18	—	—	10	BKN	2997	77	72	8	2000	Cu			
19	—	—	10	BKN	2997	77	70	8	2000	Cu			
20	—	—	10	BKN	2998	77	70	8	2000	Cu			
21	040	1	8	BKN	2998	77	70	8	2000	Cu			
22	040	1	8	BKN	2998	76	70	8	2000	Cu			
23	040	3	8	BKN	2999	75	70	8	2000	Cu			
24	040	3	8	BKN	2999	75	70	8	2000	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored outboard and starboard side to USS BENSHAW - (DD-498) in a nest of four (4) ships with standard mooring lines doubled. Renshaw outboard of USS PHILLIPS (DD-498) Phillips outboard of USS Frontier (AD-25) Frontier moored starboard side to Berth Foxtrot one (1) Naval ~~air~~ Station Ford Island, Pearl Harbor, Hawaii. Material Condition yoke (modified) set. Receiving Electrical power, potable Water, Steam and telephone services from Frontier. Ships present include various units of the U.S. pacific fleet, district and small craft. S.O.P.R. is Cinc Pac Flt.

J.A. Hollis. CWO2 USN

04-08 moored as before: 0725 mustered the crew at Quarters. Absentees: None.

J.A. Hollis. CWO2 - USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Tuesday 21 ~~Wednesday~~ ~~22~~ April (Day) (Date) (Month) 19 61

08-12 Moored as before. 0852 Made daily inspection of Magazine. Conditions normal.

R S Mason, Slyg, USNR

12-16. Moored as before

R S Mason Slyg, USNR

16-20 Moored as before. 1800 Set Material condition Yoke (Modified).

R S Mason, Slyg, USNR

20-24 Moored as before.

R S Mason, Slyg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Slyg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Obrien AT-96 ZONE DESCRIPTION +10 DATE Wed (Day) 22 (Date) April (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	8	SCT	2998	74	69	3	1800	Cu			
02	060	2	8	SCT	2996	73	69	2	1800	Cu			
03	060	4	8	BKN	2994	74	69	5	1800	Cu			
04	060	4	8	BKN	2995	74	69	6	1800	Cu			
05	050	3	8	BKN	2994	74	70	6	2000	Cu			
06	050	3	8	BKN	2994	75	71	6	2000	Cu			
07	050	3	8	BKN	2993	76	72	6	2000	Cu			
08	020	3	10	BKN	2999	74	70	6	2000	Cu			
09	020	3	10	BKN	2999	76	70	5	2000	Cu			
10	030	3	10	BKN	3000	77	71	6	2000	Cu			
11	030	3	10	BKN	3000	77	71	6	2000	Cu			
12	030	3	10	BKN	3000	77	71	6	2000	Cu			
13	030	4	10	BKN	2996	78	71	6	2000	Cu			
14	030	4	10	BKN	2996	78	71	6	2000	Cu			
15	030	4	10	BKN	3000	78	71	6	2000	Cu			
16	030	4	10	BKN	3000	78	71	6	2000	Cu			
17	030	4	10	BKN	2992	77	70	6	2000	Cu			
18	030	4	10	BKN	2993	76	70	6	2000	Cu			
19	030	4	10	BKN	2994	75	70	6	2000	Cu			
20	040	3	8	BKN	2995	76	70	6	2000	Cu			
21	040	3	5	BKN	2997	76	70	6	2000	Cu			
22	040	3	5	BKN	2998	75	70	5	2000	Cu			
23	040	3	5	BKN	2998	75	70	5	2000	Cu			
24	040	3	5	BKN	2998	75	70	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Renshaw (DD-498) with standard mooring lines, doubled in a nest of four ships. Renshaw moored outboard of USS Phillips (DD 498). Phillips moored outboard of USS Frontier (AD-25) Frontier moored ~~stard~~ starboard side to berth 7-1, Ford Island, U.S. Naval Station, Pearl Harbor, Hawaii Material condition Yoke (Modified) is set. Receiving electrical, potable water, steam and telephone services from USS Frontier (AD-25). Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. SOPA is CINCPACFLT.

R S Mason, Stjg, USNR

0408 Moored as before. ~~0725~~ 0725 Mustered the crew at quarters. Absentees None.

R S Mason, Stjg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 22 (Date) APRIL (Month), 1964

0800-1200 Moored as Before. 1048 Made daily inspection of magazines: Conditions: Normal.

C. P. McKenzie, Ens, USN

1200-1600 Moored as before.

C. P. McKenzie, Ens, USNR

1600-2000 Moored as before 1755 Mustered the inport duty fire party. Absentees: None. 1800 Set Material Condition Yoke Modified.

C. P. McKenzie, Ens, USNR

2000-2400 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Rasen, Stfj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10W DATE Thursday (Day) 23 (Date) April (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	5	BKN	2996	74	70	5	1800	Cu			
02	040	3	5	BKN	2996	74	69	5	1800	Cu			
03	040	3	5	BKN	2995	73	69	5	1800	Cu			
04	040	3	5	BKN	2997	75	70	5	1800	Cu			
05	040	3	5	BKN	2997	75	70	5	1800	Cu			
06	040	3	8	BKN	2999	75	70	5	1800	Cu			
07	040	2	10	BKN	2999	75	70	5	1800	Cu			
08	040	2	10	BKN	2998	81	70	5	1800	Cu			
09	040	1	10	BKN	2998	81	73	6	1800	Cu			
10	040	1	10	BKN	2998	81	73	6	1800	Cu			
11	040	1	10	BKN	2998	76	70	6	1800	Cu			
12	045	1	10	BKN	2997	76	70	8	1800	Cu			
13	045	2	10	BKN	2995	77	69	8	1800	Cu			
14	045	2	10	BKN	2994	77	69	7	1800	Cu			
15	045	5	10	BKN	2992	78	69	7	1800	Cu			
16	045	10	10	BKN	2990	78	69	7	1800	Cu			
17	045	10	10	BKN	2990	77	69	7	1800	Cu			
18	045	10	10	BKN	2989	75	69	7	1800	Cu			
19	045	6	10	BKN	2992	74	69	8	1800	Cu			
20	045	8	5	BKN	2994	74	67	9	1800	ST			
21	045	7	5	BKN	2996	73	67	9	1800	ST			
22	045	7	5	OVC	2997	72	67	10	1800	ST			
23	045	7	5	OVC	2998	71	67	10	1800	ST			
24	045	7	5	OVC	3000	70	67	10	1800	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 Moored ~~as before~~. Starboard side to in a nest of four ~~ships~~ ships to USS Renshaw (DD 499) using standard mooring lines doubled. Renshaw moored outboard of USS Philip (DD 498). Philip moored outboard of USS Frontier (AD 25). Frontier moored starboard side to berth Foxtrot One (F-1) US Naval Base, Ford Island, Pearl Harbor, Hawaii. Material Condition Yoke is set. Receiving electrical, steam, water, and telephone services from the pier. Ships present include various units of the US Pacific Fleet, District and yard craft. SOPA is Deputy Compacflt.

C. P. McKenzie, En, USN

04-08 Moored as before. 0725 Mustered the crew at quarters. Absentees: None.

C. P. McKenzie

APPROVED:

CC Reed LT. U. S. N. COMMANDING

EXAMINED:

RS Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 23 (Date) April (Month) 19 64

Ø8-12 Moored as before. Ø905 Made daily inspection of magazines: Conditions Normal.

P E Horton
LTJG USN

12-16 Moored as before.

P E Horton
LTJG USN

16-2Ø Moored as before 18 Set Material condition Yoke Modified.

P E Horton
LTJG USN

2Ø-24 Moored as before

P E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Catoctin ATF-96 ZONE DESCRIPTION +10 W DATE Friday (Day) 24 (Date) April (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	9	5	R	2998	70	64	10	1800	ST			
02	040	8	5	BKN	2998	68	64	6	1500	ST			
03	040	8	5	BKN	2998	68	64	7	1500	ST			
04	040	2	8	BKN	2996	68	64	7	1600	ST			
05	040	1	8	BKN	2996	68	64	7	1600	ST			
06	040	1	8	BKN	2995	69	66	7	1600	ST			
07	040	1	10	BKN	2995	70	68	8	1600	ST			
08	050	5	7	BKN	2995	70	68	8	1600	ST			
09	030	5	7	BKN	2999	70	68	8	1600	ST			
10	020	4	7	BKN	2999	71	69	8	1600	ST			
11	020	4	7	BKN	2999	74	69	8	1600	ST			
12	020	6	10	BKN	2990	75	69	8	1500	ST			
13	020	6	10	BKN	2990	76	70	8	1500	ST			
14	020	6	10	BKN	2990	76	70	8	1500	ST			
15	020	6	10	BKN	2990	76	70	7	1500	ST			
16	020	12	10	BKN	2991	75	69	6	1500	ST			
17	040	12	10	BKN	2992	75	69	6	1500	ST			
18	040	10	10+		2993	75	69	7	1500	ST			
19	030	14	10	BKN	2994	74	68	5	1800	ST			
20	030	14	10	SCT	2994	73	68	4	1800	ST			
21	030	12	10	SCT	2995	73	68	4	1800	ST			
22	030	7	8	SCT	2996	73	68	4	1800	ST			
23	030	5	8	SCT	2998	73	67	4	1800	ST			
24	030	5	8	BKN	3000	73	67	6	1800	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 Moored starboard side to outboard of USS RENSHAW (DD 498) in a nest of four ships with USS RENSHAW moored outboard of USS PHILIP (DD 499) moored outboard of USS Frontier (AD-25) moored starboard side to in Berth FOXTROT ONE, US Naval Station Pearl Harbor Hawaii. Material condition Yoke modified is set. Receiving steam, Electrical power, fresh water and telephone service from the USS FRONTIER. Ships present include various units of US Pacific fleet, Yard. and District Craft. SOPA is DEP. C.in.C. PAC FLT.

J E Horton
LTJG USN

0400-0800 Moored as before. 0725 Mustered crew at Quarters: Absentee ~~None~~ - LORMOND, C.S. 535-40-70 RM2 USN. JEH
UA SINCE 0700 24 APRIL 1964.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Moses, Jr Lt. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 24 (Date) APRIL (Month) 1964

08-12 moored as before. 0951 made daily inspection of magazines, Conditions: normal. ~~1033 Inspection of magazine completed satisfactory~~ made inspection of magazines, C.J. 55-46-70, CM2 USN returned aboard, U/A for approximately Thru (3) hours and Ten (10) minutes.

J.L. Hollis. CWO2-USN

12-16 moored as before. 1330 Commenced Commanding officers material Inspection. 1500 Secured from material inspection.

J.L. Hollis. CWO-2. USN

16-20 moored as before: 1800 set material condition yoke (modified). 1830 mustered the duty damage control party. Absentees: None.

J.L. Hollis. CWO2-USN

20-24 moored as before.

J.L. Hollis, CWO2 USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Jr Lgg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY (Day) 25 (Date) APRIL (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	020	√	√	BKN	3000	73	67	8	1800	ST			
02	020	√	√	BKN	2997	74	68	8	1800	ST			
03	020	√	√	BKN	2995	73	68	8	1800	ST			
04	030	8	√	BKN	2994	73	67	√	1800	ST			
05	020	6	√	BKN	2994	73	67	√	1800	ST			
06	040	6	√	BKN	2995	73	69	8	1800	ST			
07	040	√	√	BKN	2999	74	69	8	1800	ST			
08	040	4	10	BKN	3000	75	68	8	2000	ST			
09	040	4	10	BKN	3001	77	69	8	2000	ST			
10	040	4	10	BKN	3002	79	70	8	2000	ST			
11	040	4	10	BKN	3003	80	71	8	2000	ST			
12	040	2	10	BKN	2998	84	72	8	2000	Cu			
13	040	2	10	BKN	2996	83	72	9	2000	Cu			
14	050	2	10	BKN	2995	83	72	8	2000	Cu			
15	050	3	10	BKN	2994	84	73	8	2000	Cu			
16	050	2	10	BKN	2994	84	73	7	2000	Cu			
17	050	2	10	SCT	2994	84	73	4	2000	Cu			
18	050	2	10	SCT	2997	81	69	4	2000	Cu			
19	050	2	10	SCT	2997	81	69	4	2000	Cu			
20	050	2	8	SCT	3000	80	68	4	2000	Cu			
21	050	2	8	SCT	3002	76	70	4	2000	Cu			
22	050	2	5	SCT	3002	75	70	4	2000	Cu			
23	050	2	5	SCT	3002	75	70	4	2000	Cu			
24	050	2	5	SCT	3002	75	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

3

FUEL CONSUMED 0000-2400

450

REMARKS

00-04 moored outboard of and starboard side to USS RENSHAW (DD-499) in a nest of four (4) ships. Standard mooring lines doubled. Renshaw outboard of USS PHILIP (DD-498), Philip out board of USS FRONTIER (AD-25), Frontier moored starboard side to Forget One (1) U.S. Naval ~~air~~ Station, Ford Island, Pearl Harbor, Hawaii, material condition Yoke (modified) set. Receiving Electrical power, Steam, potable water and telephone services from the Frontier. Ships present include various units of the U.S. Pacific Fleet Service District, and Small Craft. SOPA is ~~Deputy~~ Com Cru Pac Flt.

Jal. Hollis, CWO2-USN

04-08 moored as before. 0710 mustered the crew on stations. absentees: None. 0715 set the special Sea And Anchor Detail. The Captain & navigator on the bridge. OOD has the Conn. Draft 13-6 fwd-16-6 aft. 0720 Lt(jg) Mason has the deck and

APPROVED: C C Rood LT. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 25 (Date) April (Month) 19 64

04-08 (mid) Comm. 0733 Captain has the comm. Commenced maneouvering to clear the USS Renshaw (DD 499). 0755 Under way in accordance with verbal orders from ComServPac to Berth as assigned by naval station port control officer. Steering various courses & speeds while proceeding outbound. 0757 Lt (jg) Mason has the Comm. 0758 C/C 242

J.L. Hollis, CWO2-USN

08-12 Underway as before. 0803 C/C to 186°. 0819 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO approach berth A-6, U.S. NAVAL STATION. 0832 CAPTAIN HAS THE CONN. 0836 MOORED STARBOARD SIDE TO berth A-6 OUT BOARD USS Deliver (ARS-23) USING STANDARD MOORING LINES doubled. 0848 Secured the Special Sea AND ANCHOR detail. 0855 Made daily INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

RS Mason, Lt(jg), USNR

12-16 Moored as before

RS Mason, Lt(jg), USNR

16-20 Moored as before. 1800 Set Material Condition Yoke (Modified).

RS Mason, Lt(jg), USNR

20-24 Moored as before.

RS Mason, Lt(jg), USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: RS Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 86[illegible]90

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ahnaki ATF 96, ZONE DESCRIPTION +10 DATE Sunday 26 (Day) (Date) June (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	5	SCT	2999	74	69	4	2000	Cu			
02	050	2	5	SCT	2998	73	69	3	2000	Cu			
03	050	1	5	SCT	2999	71	66	3	2000	Cu			
04	040	1	5	SCT	2996	70	65	3	2000	Cu			
05	040	2	8	SCT	2997	72	66	3	2000	Cu			
06	040	1	8	SCT	2998	73	67	4	2000	Cu			
07	040	3	10	SCT	2998	74	68	4	2000	Cu			
08	045	3	10	SCT	2998	76	70	4	2000	Cu			
09	045	3	10	SCT	2999	79	72	4	2000	Cu			
10	045	3	10	SCT	2999	83	74	4	2000	Cu			
11	045	3	10	SCT	2999	85	75	4	2000	Cu			
12	045	3	10	SCT	2998	85	75	4	2000	Cu			
13	040	3	10	SCT	2996	85	75	4	2000	Cu			
14	040	3	10	SCT	2996	86	75	4	2000	Cu			
15	040	1	10	SCT	2993	86	75	4	2000	Cu			
16	040	1	10	SCT	3001	87	75	4	2000	Cu			
17	000	1	10	SCT	3001	87	75	4	2000	Cu			
18	000	1	10	SCT	3001	87	75	4	2000	Cu			
19	000	2	10	SCT	3001	87	75	4	2000	Cu			
20	040	3	10	SCT	2998	79	71	4	2000	Cu			
21	040	3	10	SCT	2997	78	71	3	2000	Cu			
22	040	4	10	SCT	2998	76	70	3	2000	Cu			
23	040	4	10	SCT	2999	75	69	3	2000	Cu			
24	040	3	10	SCT	2999	75	69	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 350

REMARKS

00-04. Moored starboard side to berth A-6, outboard U.S.S. Pelican (ARS-23) with Starboard mooring lines doubled, U.S. NAVAL STATION, Pearl Harbor, Hawaii. Material condition Yoke Modified is set. Receiving POTABLE WATER and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet Yard and DISTRICT CRAFT. SOPA is CINCPACFLT.

R S Mason, Flyg. USNR

04-08 Moored as before. Mustered the crew on stations absentees: none

R S Mason, Flyg, USNR

APPROVED: C C Boed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason Flyg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF 96) ~~Monday~~ Sunday (Day) ~~27~~ 26 (Date) April (Month), 19 54

0800-1200 Moored as before 1028 Made daily inspection of magazines ~~0~~ Conditions: normal.

C. P. McKenzie, Ens, USNR

1200-1600. Moored as before.

C. P. McKenzie, Ens, USNR

1600-2000 Moored as before 1715 Mustered the unport fire party, Provide. Absentees: none. 1800 set material Condition Yoke ~~of~~ modified.

C. P. McKenzie, Ens, USNR

2000-2400. Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Jason Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Alnaki AF-96, ZONE DESCRIPTION +10 W DATE ~~Monday~~ Sunday ~~28~~ Monday 27 April 1964
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	BKN	2992	76	73	5	1800	Cu			
02	040	2	10	BKN	2991	75	72	5	1800	Cu			
03	040	2	10	BKN	2990	74	71	5	1800	Cu			
04	040	4	10	BKN	2992	74	67	8	1500	Cu			
05	040	4	10	BKN	2992	74	67	9	1500	Cu			
06	040	4	10	BKN	2992	74	67	9	1500	Cu			
07	040	4	10	BKN	2993	74	69	9	2000	ST			
08	040	3	10	BKN	2995	75	69	8	2000	ST			
09	040	3	10	BKN	2995	77	69	8	2000	ST			
10	040	3	10	BKN	2997	80	71	8	2000	ST			
11	040	3	10	BKN	2994	82	70	8	2000	ST			
12	040	3	10	BKN	2995	81	71	8	2000	ST			
13	040	3	10	BKN	2993	80	73	8	2000	ST			
14	040	3	10	BKN	2993	80	73	8	2000	ST			
15	040	3	10	BKN	2993	80	73	8	2000	Cu			
16	040	3	10	BKN	2993	78	72	8	2000	Cu			
17	040	3	10	BKN	2993	77	72	9	2000	Cu			
18	040	2	10	OVC	2993	76	71	10	2000	Cu			
19	040	2	10	OVC	2992	76	71	10	2000	Cu			
20	040	2	7	OVC	2992	76	71	10	2000	Cu			
21	040	2	7	OVC	2992	76	71	10	2000	Cu			
22	040	2	7	OVC	2992	76	71	10	2000	Cu			
23	040	2	7	OVC	2992	76	71	10	2000	Cu			
24	040	2	7	OVC	3000	72	69	10	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 287

REMARKS

00-04 Moored starboard side to in berth Alpa Six outboard of USS Deliver (ARS 23) using standard mooring lines doubled USN Naval Base, Pearl Harbor Hawaii. Material Condition Yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the US Pacific Fleet district and Yard Craft. Senpa is CinCPacFlt.

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: none.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 27 (Date) April (Month), 1964

ØB-12 Moored as before. Ø910 Made daily inspection of Magazines: Conditions Normal. 1ØØ Pursant to BuPers order ØØ46 OOP of Feb 1964 LTJG ROBERT M. TURNER ~~USN~~ USNR 665655/1105 was detached from this ship with orders to report to CO USS TOMBIGBEE (YOG-11) for duty.

J E Horton
LTJG USN

12-16 Moored as before.

J E Horton
LTJG USN

16-20 Moored as before 18ØØ Set Material Condition VOICE Modified.

J E Horton
LTJG USN

2Ø-24 Moored as before.

J E Horton
LTJG USN

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Sunday (Day) 28 (Date) April (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	7	OVC	3000	72	69	10	2000	Cu			
02	040	2	7	OVC	3000	72	69	10	2000	Cu			
03	040	2	7	OVC	3000	72	69	10	2000	Cu			
04	040	4	7	OVC	3001	71	69	10	2000	Cu			
05	040	4	7	OVC	3001	71	69	10	2000	Cu			
06	040	3	7	OVC	3003	72	69	10	2000	Cu			
07	040	3	10	OVC	3003	75	70	10	2000	Cu			
08	040	2	10	BKN	3003	77	71	8	2000	Cu			
09	040	2	10	BKN	3000	80	73	8	2000	Cu			
10	040	2	10	BKN	3000	83	73	8	2000	Cu			
11	040	2	10	BKN	3000	85	74	8	2000	Cu			
12	040	3	10	BKN	3000	85	74	8	2000	Cu			
13	040	3	10	BKN	3000	86	74	8	2000	Cu			
14	040	3	10	BKN	2999	87	75	8	2000	Cu			
15	040	3	10	BKN	2999	87	75	8	2000	Cu			
16	040	3	10	BKN	2999	85	75	8	2000	Cu			
17	040	3	10	BKN	2999	83	75	8	2000	Cu			
18	040	4	10	BKN	2999	81	73	8	2000	Cu			
19	040	4	10	BKN	2999	80	72	8	2000	Cu			
20	040	4	8	BKN	2999	76	71	8	2000	Cu			
21	040	4	8	OVC	2999	75	71	10	2000	Cu			
22	040	4	8	OVC	2999	74	70	10	2000	Cu			
23	040	2	7	OVC	2999	74	70	10	2000	Cu			
24	040	2	7	OVC	2999	73	69	10	2000	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 132

REMARKS

ØØ-Ø4 Moored starboard side to east board of USS Deliver, with standard mooring lines, in berth Alfa Six US Naval Station, Pearl Harbor, Hawaii. Material Condition, YOKE, Modified Set. Receiving fresh water and telephone service from the pier. Ships present include various units of US Pacific fleet, yard, and district craft. SOPA is CINCPACFLT.

J E Horton
LTJG USN

Ø8-12 Moored as before. Ø745 Mustered crew at quarters: Absentees None.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki ATF 96 Tuesday (Day) 28 (Date) April (Month) 19 64

08-12 moored as before. 0815 YOGN 115 moored outboard to port. 1007 made daily inspection of magazines. Conditions: normal. 1100 YOGN 115 cast off to harbor tugs.

J.L. Hallis, CWO-2, USN

12-16 moored as before.

J.L. Hallis, CWO-2, USN

16-20 moored as before. 1625 held outboard fire drill. (duty section) absentees: none. 1800 set material condition Yoke (modified). mustered the inport fire party for instruction: absentees: none.

J.L. Hallis, CWO2, USN

20-24 moored as before.

J.L. Hallis, CWO2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D.D. Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE: 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki ATF-96 ZONE DESCRIPTION +10 DATE Wednesday (Day) 29 (Date) April (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	7	OK	2999	73	69	10	2000	Cu			
02	040	2	7	OK	2995	73	69	10	2000	Cu			
03	040	2	8	OK	2994	72	69	10	2000	Cu			
04	040	2	8	OK	2997	72	69	10	2000	Cu			
05	040	2	8	OK	2997	72	69	10	2000	Cu			
06	040	2	8	OK	2997	72	69	10	2000	Cu			
07	040	2	10	OK	3000	72	69	10	1800	Cu			
08	040	2	10	OK	3000	76	69	10	1800	Cu			
09	040	2	10	OK	3000	76	69	10	1800	Cu			
10	040	2	10	OK	3000	76	69	10	1800	Cu			
11	040	2	10	OK	3000	78	69	10	1800	Cu			
12	040	3	10	OK	3000	80	71	10	1800	Cu			
13	040	3	10	OK	2999	80	71	10	1800	Cu			
14	040	3	10	OK	2998	80	71	10	1800	Cu			
15	040	3	10	OK	2996	82	72	10	1600	Cu			
16	040	3	10	OK	2995	80	73	10	2000	ST			
17	040	3	10	OK	2996	79	72	10	2000	ST			
18	040	2	10	OK	2997	79	72	10	2000	ST			
19	040	2	10	OK	2996	78	71	10	2000	ST			
20	040	2	10	OK	2995	78	71	10	1500	ST			
21	040	2	10	OK	2996	77	70	10	1500	ST			
22	040	2	10	R	2996	76	70	10	1500	ST			
23	040	3	10	R	2996	75	70	10	1500	ST			
24	040	3	10	OK	3000	77	70	10	1800	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 176

REMARKS

00-04 moored stbd. side to USS Deliver (ARS-23) ~~in nest of two ships~~, Deliver moored stbd. side to berth Alfa 6, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, District and small craft. Sopa, is Com Pac Flt.

J.L. Hollis, CWO2, USN

04-08 moored as before. 0745 mustered the crew at Quarters. Absentees: none.

J.L. Hollis. CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Tekaki ATF-96 Wednesday (Day) 29 (Date) April (Month) 19 64

08-12 Moored as before. 0950 Made daily inspection of magazines; conducted normal
P S Mason, Stgj, USNR

12-16 Moored as before
P S Mason, Stgj, USNR

16-20 Moored as before. 1800 Set Material Condition Yoke (Modified)
P S Mason. Stgj, USNR

20-24 Moored as before
P S Mason, Stgj, USNR

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: P S Mason. Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Chanticleer ATF-96 ZONE DESCRIPTION +10 DATE Thursday (Day) 30 (Date) April (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	OVC	2998	77	70	9	1800	ST			
02	040	4	10	OVC	2997	76	70	9	1800	ST			
03	040	3	10	OVC	2995	75	69	9	1800	ST			
04	040	2	10	BKN	3000	75	69	9	1800	ST			
05	040	2	8	BKN	3000	75	69	9	1800	Cu			
06	040	1	8	BKN	3000	76	69	8	1800	Cu			
07	040	1	10	BKN	3000	76	69	8	1800	Cu			
08	020	4	10	SCT	3001	80	72	4	2000	ST			
09	020	4	10	SCT	3001	80	72	4	2000	ST			
10	040	5	10	SCT	2999	86	75	3	2000	ST			
11	040	4	10	SCT	2999	86	75	3	2000	ST			
12	040	4	10	SCT	2999	86	75	4	2000	ST			
13	040	3	10	BKN	2998	87	76	5	2000	Cu			
14	040	3	10	BKN	2998	87	76	6	2000	Cu			
15	030	2	10	BKN	2997	87	76	4	2000	Cu			
16	030	2	10	BKN	2997	86	75	4	2000	Cu			
17	030	2	10	BKN	2997	84	75	6	2000	Cu			
18	030	2	10	BKN	2997	82	74	5	2000	Cu			
19	030	2	8	BKN	2997	80	73	5	2000	Cu			
20	030	2	8	BKN	2997	79	72	5	2000	Cu			
21	050	2	8	BKN	2998	74	71	5	2000	Cu			
22	040	3	8	SCT	3000	77	71	2	2000	Cu			
23	050	3	8	SCT	3000	76	70	1	2000	Cu			
24	050	3	8	SCT	2998	76	70	1	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 225

REMARKS

00-04 Moored starboard ~~st~~ side to berth A-6, U.S. Naval Station, Pearl Harbor, Hawaii, outboard of USS Deliver (ARS-23) with standard mooring lines doubled. Material condition Yoke (Modified) is set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPAD is CINCPACFLT.

R S Mason, Sltg, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters absentees none.

R S Mason, Sltg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason Sltg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Sebago ATF-96 Thursday (Day) 30 (Date) April (Month) 19 64

0800-1200 ~~MOORED AS~~ Moored as before 0937 ~~AAA~~ Made daily ins- and Destruction of magazines. Conditions: Normal.

C. P. McKenzie, En, USNR

1200-1600 Moored as before.

C. P. McKenzie, En, USNR

1600-2000 Moored as before. 1800 Mustered the inport duty fire party. Absentees: none. Set material condition yoke modified.

C. P. McKenzie, En, USNR

2000-2400 Moored as before.

C. P. McKenzie, En, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF 96) ZONE DESCRIPTION H/Ou DATE Friday (Day) (Date) (Month), 19 [illegible]

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR